




TOOLKIT LIST



PM Vishwakarma

Contents

BARBER (NAAI) - SET A: Assistant Barber	9
Section A: Details of Existing & Proposed Tool Kit Item	9
Part 1: Equipment	9
Part 2: Accessories/Consumables/Safety Gears	13
Section A: Details of Existing & Proposed Tool Kit Items	14
Section A: Details of Existing & Proposed Tool Kit Items	17
CARPENTER (SUTHAR) - SETA.....	19
Section A: Details of Existing & Proposed Tool Kit Item	19
Part 1: Equipment	19
Part 2: Accessories/Consumables/Safety Gears	20
CARPENTER (SUTHAR) - SETB.....	22
Section A: Details of Existing & Proposed Tool Kit Items	22
Section A: Details of Existing & Proposed Tool Kit Items	23
BOAT MAKER: SET A.....	25
Section A: Details of Existing & Proposed Tool Kit Item	25
Part 1: Equipment	25
Part 2: Accessories/Consumables/Safety Gears	26
BOAT MAKER: SET B.....	28
Section A: Details of Existing & Proposed Tool Kit Items	28
Section A: Details of Existing & Proposed Tool Kit Items	29
DHOBI: SET A	31
Section A: Details of Existing & Proposed Tool Kit Item	31
Part 1: Equipment	31
Part 2: Accessories/Consumables/Safety Gears	34
DHOBI: SET B.....	36
Section A: Details of Existing & Proposed Tool Kit Items	36
Section A: Details of Existing & Proposed Tool Kit Items	39
COBBLER (CHARMAKAR)/ SHOESMITHS/ FOOTWEAR ARTISANS: SET A	41
Section A: Details of Existing & Proposed Tool Kit Item	41
Part 1: Equipment	41
Part 2: Accessories/Consumables/Safety Gears	43
COBBLER (CHARMAKAR)/ SHOESMITHS/ FOOTWEAR ARTISANS: SETB	45
Section A: Details of Existing & Proposed Tool Kit Items	45
ARMOURER: SET A.....	48

Section A: Details of Existing & Proposed Tool Kit Item	48
Part 1: Equipment	48
Part 2: Accessories/Consumables/Safety Gears	49
BLACKSMITH: SET A.....	53
Section A: Details of Existing & Proposed Tool Kit Item	53
Part 1: Equipment	53
HAMMER AND TOOL KIT MAKER: SET A.....	57
Section A: Details of Existing & Proposed Tool Kit Item	57
Part 1: Equipment	57
Part 2: Accessories/Consumables/Safety Gears	58
LOCKSMITH: SET A.....	61
Section A: Details of Existing & Proposed Tool Kit Item	61
Part 1: Equipment	61
Part 2: Accessories/Consumables/Safety Gears	62
GOLDSMITH (SUNAR): SET A.....	64
Section A: Details of Existing & Proposed Tool Kit Item	64
Part 1: Equipment	64
Part 2: Accessories/Consumables/Safety Gears	66
MASON – SET A: Brick Mason.....	68
Section A: Details of Existing & Proposed Tool Kit Item	68
Part 1: Equipment	68
Part 2: Accessories/Consumables/Safety Gears	71
MASON – SET B: Tile Mason.....	73
Section A: Details of Existing & Proposed Tool Kit Item	73
Part 1: Equipment	73
Part 2: Accessories/Consumables/Safety Gears	76
MASON – SET C: Plaster Mason	78
Section A: Details of Existing & Proposed Tool Kit Item	78
Part 1: Equipment	78
MASON – SET D: Concrete Mason/ Dhalai Mason	82
Section A: Details of Existing & Proposed Tool Kit Item	82
Part 1: Equipment	82
Part 2: Accessories/Consumables/Safety Gears	86
FISHING NET MAKER: SET A	87
Section A: Details of Existing & Proposed Tool Kit Items	87

Part 1: Equipment	87
POTTER (KUMHAR): SET A.....	93
Section A: Details of Existing & Proposed Tool Kit Item	93
Part 1: Equipment	93
Part 2: Accessories/Consumables/Safety Gears	94
POTTER (KUMHAR): SET B.....	95
SCULPTOR (MOORTIKAR)/ STONE CARVER/ STONE BREAKERS: SET A	96
Section A: Details of Existing & Proposed Tool Kit Item	96
Part 1: Equipment	96
Part 2: Accessories/Consumables/Safety Gears	97
SCULPTOR (MOORTIKAR)/ STONE CARVER/ STONE BREAKERS: SET B	98
DOLL & TOY MAKER (TRADITIONAL) – SET A: Glass Toy	100
Section A: Details of Existing & Proposed Tool Kit Item	100
Part 1: Equipment	100
Part 2: Accessories/Consumables/Safety Gears	101
DOLL & TOY MAKER (TRADITIONAL) – SET B: Leather Toy	102
Section A: Details of Existing & Proposed Tool Kit Item	102
Part 1: Equipment	102
Part 2: Accessories/Consumables/Safety Gears	103
DOLL & TOY MAKER (TRADITIONAL) – SET C: Soft Toy	105
Section A: Details of Existing & Proposed Tool Kit Item	105
Part 1: Equipment	105
Part 2: Accessories/Consumables/Safety Gears	105
DOLL & TOY MAKER (TRADITIONAL) – SET D: Wooden Toy	107
Section A: Details of Existing & Proposed Tool Kit Item	107
Part 1: Equipment	107
BASKET MAKER/ BASKET WEAVER: MAT MAKER/ COIR WEAVER/ BROOM MAKER.....	109
Section A: Details of Existing & Proposed Tool Kit Item	109
Part 1: Equipment	109
BASKET MAKER/ BASKET WEAVER: MAT MAKER/ COIR WEAVER/ BROOM MAKER.....	111
Section A: Details of Existing & Proposed Tool Kit Item	111
Part 1: Equipment	111
Part 2: Accessories/Consumables/Safety Gears	112
BASKET MAKER/ BASKET WEAVER: MAT MAKER/ COIR WEAVER/ BROOM MAKER.....	113
Section A: Details of Existing & Proposed Tool Kit Item	113

Part 1: Equipment	113
Part 2: Accessories/Consumables/Safety Gears	114
BASKET MAKER/ BASKET WEAVER: MAT MAKER/ COIR WEAVER/ BROOM MAKER	116
Section A: Details of Existing & Proposed Tool Kit Item	116
Part 1: Equipment	116
Part 2: Accessories/Consumables/Safety Gears	117
MALAKAR: SET A.....	118
Section A: Details of Existing & Proposed Tool Kit Item	118
Part 1: Equipment	118
Part 2: Accessories/Consumables/Safety Gears	119
MALAKAR: SET B.....	122
TAILOR (DARZI): SET A.....	125
TAILOR (DARZI): SET B (Boutique)	132

NOTE: I. NSIC HAS MADE SOME MINOR CHANGES IN THE SPECIFICATIONS OF CERTAIN TOOLS/ITEMS AND THE SAME ARE UNDERLINED (AS PROPOSED VIDE LETTER No. NSIC/HO/TECH/283 DATED 9TH OCTOBER, 2023 TO AS & DC-MSME).

II. AFTER EXAMINING ALL 18 TRADES AS SELECTED UNDER PM VISHWAKARMA SCHEME THE CONSTITUTED COMMITTEE ALONG WITH CO-OPTED MEMBERS HAVE REVIEWED THE TOOLKIT LIST AFTER NECESSARY SUGGESTIONS AND RECOMMENDATIONS OF THE RESPECTIVE SECTOR SKILL COUNCILS. ACCORDINGLY, THE FURTHER REVISED LIST WITH CHOICES OF TOOLKITS A & B OR AS APPLICABLE AS PER REQUIREMENTS OF SELECTED TRADES IS PREPARED AND ENCLOSED HERewith ALONG WITH THE SUMMARY STATEMENT.

SUMMARY: ACTION POINTS

#	Sector	Trade Name	SET A	SET B	SET C	SET D	Remarks
1	Beauty & Wellness	Barber (Naai)	SET A - Assistant Barber - Change in scissor specs and brush	SET B - Assistant Hairdresser - Change in scissor specs and brush			2 items changed
2	Furniture and Fittings	Carpenter (Suthar)	No change as per the communication received form the SSC	One change - Rs. 3000 Sanding machine			1 items changed
3	Furniture and Fittings	Boat Maker	No change as per the communication received form the SSC	One change - Rs. 3000 Sanding machine			2 items changed
4	Tourism and Hospitality	Dhobi	No change as per the communication received form the SSC	SET B - 4 changes			4 New Items Cloth stand Stainless steel cloth hanger Gum Boots Storage ironing table LPG iron press
5	Leather	Cobbler(Charmakar)/Shoesmiths/Footwear Artisans	No change as per the communication received form the SSC	SET B (new list)			11 New Items 1. Pneumatic Pressing Machine 2. Long Nose Plier 3. Foldable Backache Healing Chair for floor works 4. Lasting Jack 5. Hand Gluing Gun 6. Hot Melt Adhesives 7. Shoe Size Measuring Scale 8. PVC Last 9. Roller Cutter 10. Dremel Kit
6	Capital Goods	Armourer	No change as per the communication received form the SSC	Not required as per the communication received form the SSC			No change
7	Capital Goods	Blacksmith	No change as per the communication received form the SSC	Not required as per the communication received form the SSC			No change

8	Capital Goods	Hammer and Tool Kit Maker	No change as per the communication received from the SSC	Not required as per the communication received from the SSC			No change
9	Capital Goods	Locksmith	No change as per the communication received from the SSC	Not required as per the communication received from the SSC			No change
10	Gem and Jewellery	Goldsmith (Sunar)	SET A - No change as per the communication received from the SSC	Not required as per the communication received from the SSC			No change
11	Construction	Mason	SET A - Brick Mason	SET B - Tile Mason	SET C - Plaster Mason	SET D - Concrete/Dhalai Mason	4 different sets
12	Agriculture	Fishing Net Maker	No change as per the communication received from the SSC	Not required as per the communication received from the SSC			No Change
13	Handicrafts and Carpet	Potter (Kumhar)	No change as per the communication received from the SSC	SET B - one Machine			1 item changed
14	Handicrafts and Carpet	Sculptor (Moortikar)/Stone Carver/Stone Breakers	No change as per the communication received from the SSC	SET B - Sculptor			4 Accessories added 2 Screw driver 1 Pliers Pencil and Eraser 60 Kg Twine Thread
15	Handicrafts and Carpet	Doll and Toy Maker (Traditional)	SET A - Leather Toy	SET B - Glass Toy	SET C - Soft Toy	SET D - Wooden Toy	4 different sets
16	Handicrafts and Carpet	Basket Maker/Basket Weaver: Mat Maker/Coir Weaver/Broom Maker	SET A - Bamboo/Wood twigs - Basket Maker	SET B - Broom Maker	SET C - Coir Weaver	SET D - Mat Weaver, Mat Maker	4 different sets
17	Handicrafts and Carpet	Malakar	SSC to share updated Toolkit A	SSC to share updated Toolkit B			SET A: Glass Beads 4 Kg for Rs. 2000 2 Kgs of Brass Beads for Rs. 3000 60 pieces of Stone beads for Rs. 1200 2 Kgs of Wooden beads for Rs. 1000 Insulated chiller Ice box , capacity 50 L for Rs.4000 SET B: Glass

							Beads 1 Kg for Rs. 600 1 Kg of Brass Beads for Rs. 1500 10 pieces of Stone beads for Rs. 200 1 Kg of Wooden beads for Rs. 500 Insulated chiller Ice box , capacity 100 L for Rs.5500
18	Apparel	Tailor(Darzi)	Sewing machine name and specs change in Darzi	Sewing machine name and specs change in Boutique			1 item changed additional raw material

BARBER (NAAI) - SET A: Assistant Barber

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/ Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Manual clipper		Electronic clipper		Super slim and light weight for mobility 0.4 mm cutting length. 4 Guide combs (2.5 mm to 11 mm) Lithium-ion battery. <u>75 min run time / 60 min charge.</u> Power source type: battery powered, material type: stainless steel, 1-year warranty. Tool/ item should be of reputed make and conforming to standard quality.	-Better styling of hair & beard -Hair tattoos	6,500
NA	NA	Hi-Frequency machine		High frequency <u>electric (high frequency hair treatment with stimulation of 2,50,000 frequency) machine to operate at 220 V AC, 50 Hz</u>, with standard accessories, etc. which helps wound to heal fast and to restrain pores and be very multi-functional like helps hair growth and cure alopecia, etc. Tool/ item should be of reputed make and conforming to standard quality	-Stimulates hair growth, controls hair fall. Used in various hair treatments	2,500

Existing Name	Image	Proposed Name	Image	Specifications	Usage/ Benefits	Pricing (in Rupees) (Should be indicative price without GST)
NA	NA	Hair Straightener cum Iron		<u>Min. plate size: 19mm x 85mm</u> <u>Min. Chord length 1.6m</u> <u>Heat up time 60 sec</u> <u>Should operate on single phase 220V</u> <u>Dual Ceramic Heaters for immediate heat up and rapid heat recovery.</u> <u>One hour Auto Shut Off function.</u> <u>Adjustable temperature range from 150 °C to 230 °C. with LED display</u> <u>Auto adjustable floating plates to provide for easy glide styling with no gaps.</u> 1 year warranty Tool/ item should be of reputed make and conforming to standard quality	-It is used to straightening of the hair and styling it.	2,200

Existing Name	Image	Proposed Name	Image	Specifications	Usage/ Benefits	Pricing (in Rupees) (Should be indicative price without GST)
NA	NA	Heavy duty Hair Dryer		4 heat and 2 speed combination plus cool shot for choice. <u>Superior mute.</u> Includes 2 air flow nozzles aesthetic ergonomic design equipped with overheating protection device. The minimum length of cord should be 2.8M. Min. 2200 watts <u>Should operate on single phase 220V, 50Hz</u> 1 year warranty Tool/ item should be of reputed make and conforming to standard quality	Provides quick and efficient drying of hair & allows for convenient styling	1,800
Regular Cutting scissors		Long edge cutting scissors Thinning scissors		2 pcs of hair cutting Scissors, <u>of regular size</u>, one with straight blades and one with textured blades. Lightweight, High quality stainless steel – <u>corrosion resistant</u>, durable plastic/ steel grip. Smooth, sharp, and durable. Balanced weight and ergonomic design. Refined and lightweight, reducing wrist, elbow, and hand tension. Tool/ item should be of reputed make and conforming to standard quality	- Provides precise and efficient hair cutting - Ensures clean and tailored results for a polished look.	1,500

Existing Name	Image	Proposed Name	Image	Specifications	Usage/ Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Hair Cutting Comb		Comb set		Plastic with carbon fibre finish with minimum 10 number of different combs, <u>of regular size</u> , in the set, to be used for hair cutting and styling. Material: Plastic with carbon fibre finish Tool/ item should be of reputed make and conforming to standard quality	-Provides precise and uniform results in hairstyling for different hair types and different lengths.	600
Comb		Vent Brush, Round Brush, Dusting Brush		Sleek and lightweight body with super flexible, <u>good quality</u> bristles help in a pain-free detangle. <u>Regular Size</u> Ball Tipped bristles should be gentle on scalp & massage it for improved blood circulation and improved hair health. Tool/ item should be of reputed make and conforming to standard quality	-Offers efficient and uniform hairflow distribution . -Improves styling results & gives volume in hair.	600
NA	Not in use currently	Section clips		Plastic and metal section clips (set of 6 nos.), <u>regular size</u> Tool/ item should be of reputed make and conforming to standard quality	-Used for sectioning of hair properly.	100

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/ Benefits	Indicative Pricing (in Rupees) excluding GST
NA	Not in use currently	Apron		Apron made of Waterproof fabric-PU Free size Tool/ item should be of reputed make and conforming to standard quality and design	-Required for a hygienic purpose & it provides protection from spilling chemical products.	400
NA	Not in use currently	Cutting & Colouring Sheet		Should be made of Waterproof fabric-PU. Reusable, Free size Tool/ item should be of reputed make and conforming to standard quality and design	-Required for a hygienic purpose & it provides protection from spilling chemical products.	500
NA	Not in use currently	Disposable gloves		Latex & Nitrile disposable hand gloves (box containing 100 pairs) Free size Tool/ item should be of reputed make and conforming to standard quality	-Used for protection & hygiene.	600
NA	Not in use currently	Disposable Bags		Garbage Bags made of Compostable plastic, Minimum 35 Micron. Disposable black plastic bags with standard size Storage capacity: Min 2 Kgs. Packing Weight: 1 Kg Tool/ item should be of reputed make and conforming to standard quality	-Disposing of used products and hair correctly.	240
TOTAL						17,540

BARBER (NAAI) - SET B: Assistant Hair Dresser

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Items

Part 1: EQUIPMENTS

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Manual clipper		Electronic clipper		Adjustable Lever Length: You can make the best use of this Vega Professional clipper's 0.5mm-3.0mm cutting length with adjustable lever to cut all lengths of hair smoothly. DC Power Corded Clipper: 6000 RPM High-Speed Electromagnetic Motor: The professional clipper for men features a powerful 6000 RPM level that promises better performance.	-Better styling of hair	6500
NA	NA	Hi-Frequency machine		High frequency <u>electric (high frequency hair treatment with stimulation of 2,50,000 frequency) machine to operate at 220 V AC, 50 Hz</u> , with standard accessories, etc. which helps wound to heal fast and to restrain pores and be very multi-functional like helps hair growth and cure alopecia, etc. Tool/ item should be of reputed make and conforming to standard quality	-Stimulates hair growth, controls hair fall. Used in various hair treatments	2500

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
NA	NA	2in1 Hair Styler - Straightener and Crimper Plates in One Styler		2in1 Hair Styler - Straightener and Crimper Plates in One Styler Kertain Infused Ceramic Coated Plates 5 adjustable temperature settings (120/140/160/180 200°C) 360° swivel cord to prevent tangling when straightening, crimping or curling your hair Easy styling switch LED temperature indicator Quick Heat-Up 110-240V , 50/60Hz ,48W 1 year warranty Reputed standard make	-Titanium plates and high-quality plastic body with temperature control.	2200
NA	NA	Heavy duty Hair Dryer		4 heat and 2 speed combination plus cool shot for choice. superior mute. Includes 2 air flow nozzles aesthetic ergonomic design equipped with overheating protection device. The minimum length of cord should be 2.8M. 2200 watts 1 year warranty Reputed standard make	Provides quick and efficient drying of hair & allows for convenient styling	1800

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Regular Cutting scissors		Short edge cutting scissors Thinning scissors		2 pcs of hair cutting Scissors one with straight blades and one with textured blades. Lightweight, High quality stainless steel, durable plastic. Smooth, sharp, and durable. Balanced weight and ergonomic design. Refined and lightweight, reducing wrist, elbow, and hand tension. Reputed standard make	-Provides precise and efficient hair cutting. -Ensures clean and tailored results for a polished look.	1500
Hair Cutting Comb		Comb set		Plastic with carbon fibre finish with standard number of combs. Reputed standard make Material: Plastic with carbon fibre finish Reputed Standard Make	-Provides precise and uniform results in hairstyling for different hair types and different lengths.	600
Comb		Vent Brush, Round Brush Round Hot Curl brush		Sleek and lightweight body Ball Tipped bristles should be gentle on scalp & massage it for improved blood circulation and improved hair health. Useful while drying or blowing hair for styling Idea for adding wave and curl during blow drying. Ideal For Women Cuts drying time and adds shine to your hair Well balanced and flexible bristles Reputed standard make	-Offers efficient and uniform airflow distribution. -Improves styling results & gives volume in hair.	600

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
NA	Not in use currently	Section clips (Set of 6)		Plastic and metal section clips (set of 6 nos.) Reputed standard make and design	-Used for sectioning of hair properly.	100

Section A: Details of Existing & Proposed Tool Kit Items

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
NA	Not in use currently	Apron		Apron made of Waterproof fabric-PU Reputed standard make and design	-Required for a hygienic purpose & it provides protection from spilling chemical products.	400
NA	Not in use currently	Cutting & Coloring Sheet		Apron made of Waterproof fabric-PU. Reusable Reputed standard make and design	-Required for a hygienic purpose & it provides protection from spilling chemical products.	500

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
NA	Not in use currently	Disposable gloves		Latex & Nitrile disposable hand gloves (box) Reputed standard make	-Used for protection & hygiene.	600
NA	Not in use currently	Disposable Bags		Garbage Bags made of Compostable plastic, Minimum 35 Micron. Disposable black plastic bags with standard size Storage capacity: Min 2 Kgs. Packing Weight: 1 Kg	-Disposing of used products and hair correctly.	240
TOTAL						17540

CARPENTER (SUTHAR) - SETA


Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/ Benefits	Indicative Pricing (in Rupees) excluding GST
Jack Plane		Electric Planer		Rated Power Min 650W, Planing Width Min 80 mm Max cutting depth 2mm-2.6mm, Tool/ item should be of reputed make and conforming to standard quality, Warranty: One year With standard box accessories	Efficient material removal for smooth surfaces	3,300
Hand Saw (16 Inch)		Electric Hand Cutter		Rated Power: Min 1300W Saw Blade Dia.: 184-185 mm Max Cutting thickness: 64 mm Min RPM: 4800 Warranty: Min 1 year Tool/ item should be of reputed make and conforming to standard quality, With standard box accessories	Enables precise and controlled cutting work	2,000
Jack Planer(1 4 Inch)		Electric Trimmer /Hand Router		Rated Power: Min 550W No Load Speed: 20000 RPM Warranty: Min 1 year Tool/ item should be of reputed make and conforming to standard quality, With standard box accessories	Detailed shaping and trimming of wood.	5,050

Existing Name	Image	Proposed Name	Image	Specifications	Usage/ Benefits	Indicative Pricing (in Rupees) excluding GST
Sanding Paper		Grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch Locking nut : M10 Min Rotational Speed 11000 RPM Blade Size 100mm With standard box accessories Tool/ item should be of reputed make and conforming to standard quality, Warranty: Min. One year	Offers heightened efficiency, precise shaping, and reduced physical strain, Enables smoother and more intricate woodworking projects	2,250
Regular Nail & Hammer		Drill Machine Set		Electric Corded Drill Machine Set (Power Tool) Rated Power minimum 500W No Load Speed: Min 2600 RPM Chuck Capacity 1.5-10mm Complete Kit of 100 Pcs Warranty: Min 1 year Tool/ item should be of reputed make and conforming to standard quality, With standard box accessories	Versatile drilling capabilities in wood and other materials.	3,700

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Currently not in use		Extension Cord		4 Way Extension Board, 16A, 230VAC, 50Hz, with 16A Glass Fuse, Metal enclosure, Suitable Copper Cable, Individual Switching Control of 4 Outlets with LED Indicator Switches, Total Load : 2500KW Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality, ISI marked	Offers extended reach for devices, enables flexibility in placing tools and equipment conveniently	780
Currently not in use		Ear Plug (Corded)		Ear Plugs Corded, Extra Soft, Reusable Earbuds Noise Cancellation, Soundproof Earplug, Tool/ item should be of reputed make and conforming to standard quality	Useful for protecting the ears against loud noises of machines	50

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Currently not in use		Safety Goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Tool/ item should be of reputed make and conforming to standard quality	Crucial eye protection against flying debris, ensures a secure and injury-free Work environment.	45
Currently not in use		Safety Gloves		Nitrile Coated, Nylon Knitted, Cut Resistant, Palm Coated Safety Gloves, Free Size Tool/ item should be of reputed make and conforming to standard quality	Prevent cuts, splinters, and abrasions, enhances hand protection and overall work safety.	25
Total						17,200
		Safety Shoes		Material: Leather or synthetic upper with protective toe cap (steel or composite). Features: Slip-resistant sole, puncture-resistant midsole, cushioning. Types: Steel-toed, composite-toed, metatarsal guard options. Purpose: Provides foot protection against impact, compression, and puncture hazards in industrial and construction settings, reducing the risk of foot injuries. Tool/ item should be of reputed make and conforming to standard quality	Offers foot protection from heavy objects, sharp tools, and potential hazards, ensures a secure work experience.	

CARPENTER (SUTHAR) - SETB

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Items


Part 1: EQUIPMENTS

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Jack Plane		Electric Planer		Rated Power Min 650W, Planning Width Min 80 mm Max cutting depth 2mm-2.6mm, Reputed make with standard quality, Warranty: One year With standard box accessories	Efficient material removal for smooth surfaces	3300
Hand Saw (16 Inch)		Electric Hand Cutter		Rated Power: Min 1300W Saw Blade Dia.: 184-185 mm Max Cutting thickness: 64 mm Min RPM: 4800 Warranty: Min 1 year Reputed make with standard quality, With standard box accessories	Enables precise and controlled cutting work	2000
Jack Planer(14 Inch)		Electric Trimmer /Hand Router		Rated Power: Min 550W No Load Speed: 20000 RPM Warranty: Min 1 year Reputed make with standard quality, With standard box accessories	Detailed shaping and trimming of wood.	5050
Sanding Paper		Grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch Locking nut : M10 Min Rotational Speed 11000 RPM Blade Size 100mm With standard box accessories Reputed make with standard quality, Warranty: Min. One year	Offers heightened efficiency, precise shaping, and reduced physical strain, Enables smoother and more intricate woodworking projects	2250

		Sanding machine		1-3 HP motor, variable speed control, 6-12-inch sanding disc or belt	Used to smooth and refine wooden surfaces by abrasion, ensuring a polished and even finish.	3000
--	--	-----------------	---	--	---	------

Section A: Details of Existing & Proposed Tool Kit Items

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Currently not in use		Extension Cord		16 Amp 3 Pin Plug, Heavy Duty 3 Core copper Wire, Led Indicator Switches, Total Load (2500W), Max Current (16A), Voltage (220V), cord 5 Mtr. Reputed standard make, ISI marked	Offers extended reach for devices, enables flexibility in placing tools and equipment conveniently	780
Currently not in use		Ear Plug (Corded)		Ear Plugs Corded, Extra Soft, Reusable Earbuds Noise Cancellation, Soundproof Earplug, Reputed standard make	Useful for protecting the ears against loud noises of machines	50
Currently not in use		Safety Goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Reputed standard make	Crucial eye protection against flying debris, ensures a secure and injury-free Work environment.	45

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Currently not in use		Safety Gloves (1 Pair)		Nitrile Coated, Nylon Knitted, Cut Resistant, Palm Coated Safety Gloves, Free Size Reputed standard make	Prevent cuts, splinters, abrasions, enhances hand protection and overall work safety.	25
		Safety Shoes		Material: Leather or synthetic upper with protective toe cap (steel or composite). Features: Slip-resistant sole, puncture-resistant midsole, cushioning. Types: Steel-toed, composite-toed, metatarsal guard options. Purpose: Provides foot protection against impact, compression, and puncture hazards in industrial and construction settings, reducing the risk of foot injuries. Tool/ item should be of reputed make and conforming to standard quality	Offers foot protection from heavy objects, sharp tools, and potential hazards, ensures a secure work experience.	
Total						16500

BOAT MAKER: SET A


Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Hand Saw (16 Inch)		Electric Hand Cutter		Rated Power: Min 1300W Saw Blade Dia: 184-185 mm Max Cutting thickness: 64 mm Min RPM: 4800 Warranty: Min 1 year Tool/ item should be of reputed make and conforming to standard quality, With standard box accessories	Enables precise and controlled cutting work	9,400
Sanding Paper		Grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch Locking nut : M10 Min Rotational Speed 11000 RPM Blade Size 100mm With standard box accessories Tool/ item should be of reputed make and conforming to standard quality, Warranty: Min. One year	Offers heightened efficiency, precise shaping, and reduced physical strain, Enables smoother and more intricate woodworking projects	2,250
Regular Nail & Hammer		Drill Machine Only		Electric Corded Drill Machine (Power Tool) Rated Power Min 600W Load Speed: Min 3000 RPM Chuck Capacity 1.5-13mm, Tool/ item should be of reputed make and conforming to standard quality, ISI marked Warranty: Min 1 year	Offers versatile drilling capabilities for creating holes in wood and other materials.	2,478
Use of Hand or temporary structure of wood		F-Clamps (12 Inches)		Heavy-duty, <u>steel</u> , 12 Inches, <u>Min. 80mm x 300mm</u> Tool/ item should be of reputed make and conforming to standard quality	Clamps for holding different sizes of wood during the building of a boat	1,150

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Use of Hand or temporary structure of wood		F-Clamps (8 Inches)		Heavy-duty, <u>steel</u> , 8 Inches <u>Min. 50mm x 150mm</u> Tool/ item should be of reputed make and conforming to standard quality	Clamps for holding different sizes of wood during the building of a boat	800

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Currently not in use		Extension Cord		4 Way Extension Board, 16A, 230VAC, 50Hz, with 16A Glass Fuse, Metal enclosure, Suitable Copper Cable, Individual Switching Control of 4 Outlets with LED Indicator Switches, Total Load : 2500KW Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	Offers extended reach for devices, enables flexibility in placing tools and equipment conveniently	780
Currently not in use		Ear Plug (Corded)		Ear Plugs Corded, Extra Soft, Reusable Earbuds Noise Cancellation, Soundproof Earplug, Tool/ item should be of reputed make and conforming to standard quality	Useful for protecting the ears against loud noises of machines	50
Currently not in use		Safety Goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Tool/ item should be of reputed make and conforming to standard quality	Crucial eye protection against flying debris, ensures a secure and injury-free Work environment.	45

Currently not in use		Safety Gloves		Nitrile Coated, Nylon Knitted, Cut Resistant, Palm Coated Safety Gloves, Free Size Tool/ item should be of reputed make and conforming to standard quality	Prevent cuts, splinters, and abrasions, enhances hand protection, and overall work safety.	50
Total						17,003
Safety Shoes		Material: Leather or synthetic upper with protective toe cap (steel or composite). Features: Slip-resistant sole, puncture-resistant midsole, cushioning. Types: Steel-toed, composite-toed, metatarsal guard options. Purpose: Provides foot protection against impact, compression, and puncture hazards in industrial and construction settings, reducing the risk of foot injuries. Tool/ item should be of reputed make and conforming to standard quality			Offers foot protection from heavy objects, sharp tools, and potential hazards, ensures a secure work experience.	

BOAT MAKER: SET B

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Items

Part 1: Equipment


Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Hand Saw (16 Inch)		Electric Hand Cutter		Rated Power: Min 1400W 7 Inches Max Cutting thickness: 64 mm Min RPM: 5200 Warranty: Min 1 year Warranty: Min 1 year Reputed make with standard quality, With standard box accessories	Enables precise and controlled cutting work	9400
Sanding Paper		Grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch Locking nut : M10 Min Rotational Speed 11000 RPM Blade Size 100mm With standard box accessories Reputed make with standard quality, Warranty: Min. One year	Offers heightened efficiency, precise shaping, and reduced physical strain, Enables smoother and more intricate woodworking projects	2250
		Sanding machine		1-3 HP motor, variable speed control, 6-12-inch sanding disc or belt	Used to smooth and refine wooden surfaces by abrasion, ensuring a polished and even finish.	2800

Existin g Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Use of Hand or tempo rary struct ure of wood		F-Clamps (12 Inches) (1 Pair)		Heavy-duty metal, 12 Inches	Clamps for holding different sizes of wood during the building of a boat	1150
Use of Hand or tempo rary struct ure of wood		F-Clamps (8 Inches) (1 Pair)		Heavy-duty metal, 12 Inches	Clamps for holding different sizes of wood during the building of a boat	600

Section A: Details of Existing & Proposed Tool Kit Items

Part 2: Accessories/Consumables/Safety Gears

Existin g Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Curre ntly not in use		Extension Cord		16 Amp 3 Pin Plug, Heavy Duty 3 Core copper Wire, Led Indicator Switches, Total Load (2500W), Max Current (16A), Voltage (220V), cord 5 Mtr Reputed standard make, ISI marked	Offers extended reach for devices, enables flexibility in placing tools and equipment conveniently	780

Currently not in use		Ear Plug (Corded)		Ear Plugs Corded, Extra Soft, Reusable Earbuds Noise Cancellation, Soundproof Earplug, Reputed standard make	Useful for protecting the ears against loud noises of machines	50
Currently not in use		Safety Goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Reputed standard make	Crucial eye protection against flying debris, ensures a secure and injury-free Work environment.	45
Currently not in use		Safety Gloves (2 Pair)		Nitrile Coated, Nylon Knitted, Cut Resistant, Palm Coated Safety Gloves, Free Size Reputed standard make	Prevent cuts, splinters, and abrasions, enhances hand protection, and overall work safety.	50
		Safety Shoes		Material: Leather or synthetic upper with protective toe cap (steel or composite). Features: Slip-resistant sole, puncture-resistant midsole, cushioning. Types: Steel-toed, composite-toed, metatarsal guard options. Purpose: Provides foot	Offers foot protection from heavy objects, sharp tools, and potential hazards, ensures a secure work experience.	

				protection against impact, compression, and puncture hazards in industrial and construction settings, reducing the risk of foot injuries. Tool/ item should be of reputed make and conforming to standard quality		
Total						17125

DHOBI: SET A

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Coal Box Iron		Steam Iron with water tank		1 pc of 1200 Watt Warranty – 12 Months Water Tank Capacity-3000ml Soleplate- Iron alloy with chrome finish, ISI marked Tool/ item should be of reputed make and conforming to standard quality	Steam iron effectively removes wrinkles from clothes, environment friendly.	2,950
Water Drums		Tub		1 pc in one kit <u>Inbreakable</u> Plastic Tub with a capacity of 55-60 litre, <u>made of virgin material</u> Tool/ item should be of reputed make and conforming to standard quality	-Plastic tubs serve multiple purposes beyond just holding water for washing clothes. Used for soaking, rinsing, bleach and disinfectant application and storage of washed fabrics -Dhobis can use different colored plastic tubs to segregate clothes based on types or stages of laundering, aiding in organizing the laundry process more efficiently.	475

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Thapi		Cloth Cleaning Brush		1 pc in one kit Rectangular plastic Brush With Handle with Nylon Bristles Size of the brush- 15cm x 8cm x 6cm Tool/ item should be of reputed make and conforming to standard quality	-Brushes help loosen and remove stains from fabrics, making it easier for detergents and cleaning agents to penetrate and remove the stains during washing. -Brushes facilitate scrubbing actions, which are especially useful for removing stubborn dirt, grime, and stains from fabrics and surfaces.	60
N/A	N/A	Hose Pipe with Connectors (10 mtrs.)		1 pc in one kit PVC Pipe Diameter: 0.5 Inch, Layered Braided Water Hose Pipe Watering Hoses with Connector, Clamps, and spray gun Tool/ item should be of reputed make and conforming to standard quality	-Pipes and hoses play a crucial role in the operations of dhobis (laundry service providers), facilitating water supply, storage, operational task like rinsing and steam distribution. Well-designed pipes distribute water evenly, optimizing the use of water and reducing wastage	900
NA	NA	Textile Stain Cleaning Gun		Plastic body Adjustable nozzle is designed for effortless, stepless setting of spray cones ranging from high concentration. Electrically Operated. No Air Compressor Required. Useful in cleaning garments, carpets, scarfs, shawls, ladies wear, children garments etc Cord length-3.0M <u>Min. Container capacity – 700ml</u>	Essential skilling equipment for dhobis, meant for daily requirement to clean different types of spots on fabrics The candidate will learn to add appropriate amount of cleaning agents for greater efficiency	4,000

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
				Tool/ item should be of reputed make and conforming to standard quality		
NA	NA	Large Powder Coated Mild Steel Ironing Board/Table		Type of Product : Ironing Board Length: 131.5 cm Width: 33 cm Height: 88 cm Portable: Yes Frame Material: Powder Coated Mild Steel Mounting Type: Surface Mount Foldable with anti-skid shoes Tool/ item should be of reputed make and conforming to standard quality	Faster and easier way of ironing clothes using adjustable height to give better comfort during the process	1,700
NA	NA	Small Iron		1000W DRY IRON Super-Lightweight 630g 360-degree swivel cord Soleplate- Iron alloy with Chrome Finish Tool/ item should be of reputed make and conforming to standard quality, ISI marked	Lightweight, easy to use with instant heat. Very efficient for the dhobi for quick ironing of small clothes	500
NA	Na	Washing Machine		Semi-Automatic, <u>Twin Tub washing machine with washing and spin tubs</u> Must remove stubborn stains. Must remove mould and odour 8 KG Wash capacity, 15 mins wash time Anti-rust plastic body, Scrubber plate Magic filter, 1300 RPM Speed, Multi fins pulsator Tool/ item should be of reputed make and conforming to standard quality, ISI marked with minimum 3-star BEE rating	Machine learning to the selected candidate will enable them to learn and use appropriate quantity of detergent and other cleaning agents.	5,700

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Soap		Laundry Detergent Liquid (3 L)		Shelf Life: At least 24 Months Eco friendly , Chemical free and Non toxic ISI Certified Preferred Tool/ item should be of reputed make and conforming to standard quality	-More effective in different water conditions and at various temperatures. -Detergents rinse more thoroughly, leaving fewer residues behind. -Detergents use biodegradable ingredients that break down more easily in the environment, reducing potential and harm to aquatic ecosystems.	300
Baking Soda , Lemon, Vinegar		Stain Removing Agent		Removes hard stains like Oil, Grease, etc. and dirt from various type of delicate & coloured fabrics. Type- Solvent Base Tool/ item should be of reputed make and conforming to standard quality	- Efficiently tackle wide range of stains, saving time and effort compared to manual scrubbing.	400
Chlorine Bleach		Oxygen Bleach /Fabric Whitener		Shelf Life : 24 months Tool/ item should be of reputed make and conforming to standard quality	-For whitening, disinfecting, and removing tough stains from fabrics. -Oxygen bleach is considered more gentle on the environment, as it breaks down into water and oxygen.	120

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
NA	NA	Gloves		1 pair in one kit. Reusable gloves Non-slip, Waterproof Chemical Resistant Free Size Tool/ item should be of reputed make and conforming to standard quality	-Gloves act as a barrier, preventing direct contact with dirt, germs, and bodily fluids on laundry items therefore contributing to better hygienic environment. -Minimize cross-contamination, curbing the spread of germs and infections.	200
NA	NA	Fabric Disinfectant		Shelf Life:2 year Bleach Free Tool/ item should be of reputed make and conforming to standard quality	-To kill or neutralize harmful microorganisms on fabric surfaces, making them particularly useful for items that are in contact with skin and which harbor bacteria, viruses, and fungi.	390
Total						17,695

DHOBI: SET B

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Items

Part 1: Equipment

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Coal Box Iron		LPG gas Iron press		Functions 38 - 40 Hrs./Kg. Gas	The product called Gas Operated Iron is a portable appliance, which holds an advantage over conventional charcoal fueled as there is no risk of damaging expensive clothes from charcoal sparks.	2000/-
Brick/Tent Table		Storage ironing Table		Dark Brown colour Make-Wood	Strong wooden base, highly resistant Comes with storage space to store irones clothes and equipment like iron, water containers, brushes etc.	4000
Water Drums		Tub		Plastic Tub with a Capacity of 55-60 litre	-Plastic tubs serve multiple purposes beyond just holding water for washing clothes. Used for soaking, rinsing, bleach and disinfectant application and storage of washed fabrics -Dhobis can use different colored plastic tubs to segregate clothes based on types or stages of laundering, aiding in organizing the laundry process more efficiently.	475/-

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Thapi		Cloth Cleaning Brush		Rectangular plastic Brush With Handle with Nylon Bristles	-Brushes help loosen and remove stains from fabrics, making it easier for detergents and cleaning agents to penetrate and remove the stains during washing. -Brushes facilitate scrubbing actions, which are especially useful for removing stubborn dirt, grime, and stains from fabrics and surfaces.	60/-
N/A	N/A	Hose Pipe with Connectors (10 mtrs.)		PVC Pipe Diameter: 0.5 Inch, Layered Braided Water Hose Pipe Watering Hoses with Connector and Clamps	-Pipes and hoses play a crucial role in the operations of dhobis (laundry service providers), facilitating water supply, storage, operational task like rinsing and steam distribution. Well-designed pipes distribute water evenly, optimizing the use of water and reducing wastage	900/-
N/A	N/A	Clothes Hangers (SS)		Stainless steel, light weighted	Helps hang clothes avoiding wrinkles Aids in easing the storage of washed clothes	180/Dozen

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Rope Lines		Clothes Stand		58 feet of drying space with wheels for easy movement	Can be folded to form different combinations. Example - The middle frame can be folded if you to Dry a Bedsheet or large garments on the top frame as it requires more space for hanging. 58 Feet of Drying Area + 14 Hanger Slots for Drying lots of clothes at once.	2400/pcs
N/A	N/A	Large Powder Coated Mild Steel Ironing Board/T able		Type of Product : Ironing Board Length: 131.5 cm Width: 33 cm Height 88 cm Portable: Yes Frame Material: Powder Coated Mild Steel Mounting Type : Surface Mount Foldable	Faster and easier way of ironing clothes using adjustable height to give better comfort during the process	1700/-
Coal Box Iron		Small Iron		1000W DRY IRON Super-Lightweight 630g German coating 360 degree swivel cord	Lightweight, easy to use with instant heat. Very efficient for the dhobi for quick ironing of small clothes	500/-

Section A: Details of Existing & Proposed Tool Kit Items

Part 2: Accessories/Consumables/Safety Gears

Soap		Laundry Detergent Liquid (3 L)		Shelf Life: At least 24 Months Eco friendly , Chemical free and Non toxic Ph Value :Neutral ISO Certified Preferred	-More effective in different water conditions and at various temperatures. -Detergents rinse more thoroughly, leaving fewer residues behind. -Detergents use biodegradable ingredients that break down more easily in the environment, reducing potential and harm to aquatic ecosystems.	300/-
Baking Soda , Lemon, Vinegar	 	Stain Removing Agent (1 ltr.)		Removes hard stains like Oil, Grease, etc. and dirt from various type of delicate & coloured fabrics. Type- Solven Base	- Efficiently tackle wide range of stains, saving time and effort compared to manual scrubbing.	400/-
Chlorine Bleach		Oxygen Bleach (1 ltr.)		Shelf Life : 24 months	-For whitening, disinfecting, and removing tough stains from fabrics. -Oxygen bleach is considered more gentle on the environment, as it breaks down into water and oxygen.	120/-

N/A	N/A	Gloves		1 PAIR. IN ONE KIT Reusable gloves Non-slip Waterproof Size may vary depending upon the hand size	-Gloves act as a barrier, preventing direct contact with dirt, germs, and bodily fluids on laundry items therefore contributing to better hygienic environment. -Minimize cross-contamination, curbing the spread of germs and infections.	200/-
N/A	N/A	Washer man Gum Boots		Proposed Height-330+10 mm (14.0 + 0.4 inch) Knee ISO certified Preferred Foot Size vary	-Protection from direct contact with unclean materials, reducing the risk of infection and contamination. Therefore, reducing potential foot-related health issues -Boots with slip-resistant soles provide better traction, reducing the risk of slips, trips, and falls that may lead to injuries.	250/Pair
N/A	N/A	Fabric Disinfectant (1 ltr.)		Shelf Life:2 year Bleach Free	-To kill or neutralize harmful microorganisms on fabric surfaces, making them particularly useful for items that are in contact with skin and which harbor bacteria, viruses, and fungi.	390/-
Total						13,875

COBBLER (CHARMAKAR)/ SHOESMITHS/ FOOTWEAR ARTISANS: SET A

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Emery Wooden tool		Bench Buffing/Grinding Machine (200 W) with buffing & grinding wheels		Electric Bench Buffing / Grinding machine HP: 0.5 Motor – 200 W RPM: 2,800 Tool/ item should be of reputed make and conforming to standard quality	-Motorized devices provide fast processes, save time and energy.	6,801
DHand Riveting and Punching tool (Separate)		Manual Operated Punching and Riveting tool with dies		Hand Operated with provision to change the dies (Rivetting, eyeletting & punching, <u>Multi Layer 2 mm, 4mm, 6 mm, 8mm, 10mm holes</u>) Weight: Min. 6.5Kg Tool/ item should be of reputed make and conforming to standard quality	Helps to punch and rivet with less effort Helps to save time and energy.	1,600

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Manual Awl		Leathercraft Stitching Tool Speedy Stitching Sewing Awl		Stitching awl for leather swing and stitching with standard accessories min weight 70 gms, Tool/ item should be of reputed make and conforming to standard quality		1,500
Polishing Brush		Electric Shoe Polishing Kit		Electric shoe polishing kit Battery operated with 4 no of brushes, handheld Min. 1.2 W, 3V DC. Alongwith Standard accessories. Tool/ item should be of reputed make and conforming to standard quality	-Better polish finish Increases productivity and saves time and energy	1,349
Candle		Soldering Iron with Mock Bit		Power – 125 Watts Voltage – 230 ~250 V Wire length – 1.5 meters, 5A Plug Point ISI Mark Tool/ item should be of reputed make and conforming to standard quality	-Helps to remove the wrinkles of shoes and other goods.	1,250

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
NA	NA	<u>Leather Burnshing Tool</u>		<u>Wooden Leather Burnshing Tool with minimum 4 grooves, material ebony wood, 15*2.4cm/5.91* 0.94inch, Smooth surface, comfortable to grip and use.</u>		
Plastic Hand Mat to Dry		<u>Electric Dryer</u>		Electric Dryer useful for drying adhesive faster. Power: Min. 2,000 watts Voltage: 240 V, 50 Hz AC Motor Reputed stanard make ISI marked	-Useful in drying adhesive faster	1,200
Materials & Accessorie s storing		Stackable Materials Organizer		Minimum 9 boxes, PVC or PET Material Size: 28.9 x 21.6 x 6.8 cm Tool/ item should be of reputed make and conforming to standard quality	-Helps to organize all the materials like eyelets, rivets, buttons and accessories in an organized way.	500
Traditio nal Cutting Board		Cutting Mat		Material: Rubber Size: A3 (18"X12") 5 Layers Double Sided Durable PVC Material: Poly Vinyl Chloride (PVC) Tool/ item should be of reputed make and conforming to standard quality	-Scale integrated cutting mate helps in perfect measurement and saves time.	350

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees)
---------------	-------	---------------	-------	----------------	----------------	--------------------------------

						excluding GST
NA	NA	PU Rexene of Different Colours		Material: PU/PVC Rexene, Minimum Thickness: 1 mm Requirement: 10 Square meter Tool/ item should be of reputed make and conforming to standard quality	Use full for Making Shoes, Hand Bags, Car & Bike Seat Covers, Bag Bags, etc.,	1,600
NA	NA	Adhesives (Rubber based)		Material: Rubber Based Polymeric Adhesive Viscosity: 20-25 NS/m^2 Tool/ item should be of reputed make and conforming to standard quality	Use full for Making Shoes, Hand Bags, Car & Bike Seat Covers, Bag Bags, etc.,	1,000
NA	NA	Threads (Different Colour)		Material: Linen/Nylon Size: TKT No. 10/20/30/40 Tool/ item should be of reputed make and conforming to standard quality	Use full for Making Shoes, Hand Bags, Car & Bike Seat Covers, Bag Bags, etc.,	300
Total						17,450

COBBLER (CHARMAKAR)/ SHOESMITHS/ FOOTWEAR ARTISANS: SETB

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Items

Part 1: EQUIPMENTS

Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Pneumatic Pressing Machine		Pressure: 1-5 Bar Working area: 30*42 CM Reputed standard make	Pressing the Soles of Chapels, Shoes and straps, etc.,	INR 5550/-
Long Nose Plier		Dimensions: 20.5 CM x 7.4 CM Material: Steel Reputed standard make.	It can be used for a wide range of purposes such as repairing shoes, repairing zippers on bags and bags, and repairing umbrellas.	INR 250/-
Foldable Backache Healing Chair for floor works		Flodable Floor Chair	Convenient for shoemakers who work sitting on the floor for hours, providing ergonomic back support.	INR 1250/-

Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Lasting Jack		Deimensions: Base Dia – 10 Cm, last holder – 1 Cm, Metal Jack with holder.	The Lasting Jack hold the PVC last helps the shoemaker hold the shoe and connect the sole to the upper.	INR 900/-
Hand Gluing Gun		Power – 80-100 Watts Weight: 500 Grams Glue Sticks Hold Dia: Max: 12 mm Corded Electric Reputed standard make	Rapid Uniform distribution of Glues across any material and make a temporary bonding	INR 300/-
Hot Air Blower		Electric Dryer useful for drying adhesive faster. Power: Min. 2,000 watts Voltage: 240 V, 50 Hz AC Motor Reputed stanard make ISI mark	Useful in drying adhesive faster	INR 1000/-
Hot Melt Adhesives		Weight: 1 KG Material: PU/PVC Hot Melt	Rapid Uniform distribution of Glues across any material and make a temporary bonding	INR 600/-

Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Shoe Size Measuring Scale		Dimensions: 15 x 10 x 5 Cm Sizing: Indian/UK and Europe Reputed standard make	Footwear size measuring scale ensures consistent sizing across brands, providing customers with reliable information for online shopping and ensuring comfort and fit for every pair of shoes.	INR 1000
PVC Last		Material: PVC Size: Indian size 8 Reputed standard make	Helps shoemakers hold uppers/shoes for sole installation and other repair work.	INR 550
Roller Cutter		Manual Operated Cutter Dimensions: 45mm, SS Blades	A roller cutter is a versatile tool for precise and efficient cutting in various materials, from fabric to paper. Its ergonomic design enhances ease of use in crafting and manufacturing.	INR 1200
Dremel Kit		Power: 130-200 watts Voltage: 240 V Min. RPM: 10000 RPM	Use full for buffing, edge colouring, polishing, engraving, sanding and other repair works	INR 2400
Total				15000/-

ARMOURER: SET A

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Hack saw		Hand lever Shearing		Manual Level Shearing Machine Blade Length: Min 450 mm; Cutting Map Sheet: Min 6 mm; Cutting Map Flat: Min 65x8 mm; Cutting Map Round: Min 12 mm With standard box accessories Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	Better accuracy, easy to use and time saving	5,100
Hack saw		Oxy gas cutting torch		Heavy Duty Oxy gas cutting torch MOC: Brass Injector Mix Type, 460 mm, Cutting range 0-250 mm Laser Welding Machine, With Nozzle. Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	Better accuracy and time saving. Can also be used for brazing.	3,500
File		Angle Grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch, Locking nut: M10, Min Rotational Speed 11000 RPM, Blade Size 100mm, With standard box accessories, Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Multipurpose and time saving	2,000
Measuring tape		Digital Vernier Calliper		High precision digital Vernier Calliper CE/ISI marked. Type: Digital, Body: Stainless Steel, Display: LCD, Operating Temp.: 5-40 Deg C, Measuring Range: 150 mm, Least Count: 0.01mm, Accuracy: 0.02mm < 100mm, 0.03 mm for 100-150mm Supply: Battery Operated (Alkaline Lithium Button cell, 1.5V ,180mAH)	-Provides accurate measurements	1,200

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
				Tool/ item should be of reputed make and conforming to standard quality		
NA	NA	Nylon Hammer		¾ Inch face Hammer with Removable head Head Material: Nylon Handle: Wooden Tool/ item should be of reputed make and conforming to standard quality	-Used in delicate operations with metal	500

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
NA	NA	Cutting wheel		4" Cutting Wheel, Double Net, Suitable for Cutting Stainless Steel and Metals Compatible with 4" Angle Grinder Qty: 1 Lot of 50 Pieces Tool/ item should be of reputed make and conforming to standard quality	-Accessory for Angle Grinder	750
NA	NA	Wire extension		4 Way Extension Board, 16A, 230VAC, 50Hz, with 16A Glass Fuse, Metal enclosure, Suitable Copper Cable, Individual Switching Control of 4 Outlets with LED Indicator Switches, Total Load : 2500KW Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Used in attaching more electric equipment simultaneously	550

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
NA	NA	Safety Helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. Tool/ item should be of reputed make and conforming to standard quality	-Protects head from injuries	550
NA	NA	C- Clamp		BIS/CE Certified C Clamp MOC: Steel Size: 3 Inch Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Used in holding the workpiece	450
NA	NA	Leather gloves		Leather Safety Gloves Heat, Cut, Wear & Tear Resistant, Anti-Impact Coated Size: Free Size Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Protects hand from hot metal, molten liquid etc.	450

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
NA	NA	Polishing buff wheel		4 Inch Buffing Wheel Pad, Non-Woven Fabric Thickness: 5 mm Bore diameter: 16mm Application: polishing stainless steel metal marble glass ceramic Set of 2 Tool/ item should be of reputed make and conforming to standard quality	-Accessory for Polishing machine	350
NA	NA	Wire brush		Steel Wire Scratch Brush Bristle Type: Straight Wire Bristle Area: Min 5 X 14 Rows	-Used in cleaning metal	250
NA	NA	Scrubber Pad		Scrubber Pad, Size: 10 X 14 Cm Set of 6 Pcs	-Used in polishing steel and other metals	200
NA	NA	Cleaning liquid		Stainless Steel Polish, Acid Free Liquid, Can of 5 Litres	-Used in buffing and polishing metals	1,800
NA	NA	Safety goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris,	-Protects eyes from metal chips and dust	200

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
				chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Tool/ item should be of reputed make and conforming to standard quality		
Total						17,850

BLACKSMITH: SET A

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Traditional furnace		Gas furnace		Gas Melting Furnace, Melting Capacity: Min. 5Kg <u>Material</u>: Iron Colour: Copper With Upper Lid, Crucible and Crucible Stand With standard box accessories Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Safe and less use of coal.	3,150
Hand fan		Blower		Electric Blower Fan Machine for Gas Melting Furnaces 230VAC, 50Hz, Min 18 No Copper Armature Speed: Min 2800RPM, <u>Material</u> : Cast Iron With standard box accessories Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-High temperature can be attained using blower.	5,250
Hacksaw		Angle grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch, <u>Locking nut :M10</u>, Min Rotational Speed 11000 RPM, Blade Size 100mm, With standard box accessories, Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality, ISI Marked	-Multipurpose and time saving	2,020

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
NA	NA	Chisel and Punch Set		Chisel and Punch Set of 12 Pieces: Each piece forged construction for strength Hardened, quenched and tempered for long life and durability Chisel body using alloy steel, overall heat treatment. Center punch-1/4", 5/16", Starter 3/32", Pin 1/16", 1/8", 5/32", 3/16", 1/4", 5/16", Prick-3/8", Cold chisel-1/2", 5/8" Tool/ item should be of reputed make and conforming to standard quality	- Helps to edit the workpiece as per convenience.	2,160

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
N.A	N.A	Leather apron		Leather Apron with Pockets Adjustable Neck Strap Size: Standard Regular Free Size With Min One Large Pockets for carrying large tools and Min 6 Small Pockets for smaller tools Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Gives protection from high heat and temperature	2,700

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
NA	NA	Wire extension		4 Way Extension Board, 16A, 230VAC, 50Hz, with 16A Glass Fuse, Metal enclosure, Suitable Copper Cable, Individual Switching Control of 4 Outlets with LED Indicator Switches, Total Load : 2500KW Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Used in attaching more electric equipment simultaneously	550
NA	NA	Safety helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. Tool/ item should be of reputed make and conforming to standard quality	-Protects head from injuries	550
NA	NA	Leather gloves		Leather Safety Gloves Heat, Cut, Wear & Tear Resistant, Anti-Impact Coated Size: Free Size Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Protects hand from hot metal, molten liquid etc.	450
NA	NA	Safety goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection.	-Protects eyes from metal chips and dust	200

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
				Tool/ item should be of reputed make and conforming to standard quality		
Total						17,030

HAMMER AND TOOL KIT MAKER: SET A

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Traditional furnace		Gas furnace		Gas Melting Furnace, Melting Capacity: Min. 5Kg Material: Iron Colour: Copper With Upper Lid, Crucible and Crucible Stand With standard box accessories Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Safe and less use of coal.	3,150
Hammer and punch		Drilling machine Set		Electric Corded Drill Machine(ISI marked) Power Tool Set, Rated Power Min 500W, No Load Speed: Min 2600 RPM, Chuck Capacity:1.5-10mm, Complete Kit of 100 Pcs, With standard box accessories Warranty: Min 1year Tool/ item should be of reputed make and conforming to standard quality	-Saves times and increase the productivity.	3,500
Hacksaw		Angle grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch, Locking nut :M10, Min Rotational Speed 11000 RPM, Blade Size 100mm, With standard box accessories, Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality, ISI marked	-Multipurpose and time saving	2,020
Measuring tape		Digital Vernier Caliper		High precision digital Vernier Caliper CE/ISI marked Type: Digital Body: Stainless Steel Display: LCD Operating Temp.: 5-40 Deg C Measuring Range: 150 mm Least Count: 0.01mm	-Accurate measurements	1,100

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
				Accuracy: 0.02mm < 100mm 0.03 mm for 100-150mm Supply: Battery Operated (Alkaline Lithium Button cell, 1.5V ,180 mAh) Tool/ item should be of reputed make and conforming to standard quality		
NA	NA	Chisel and Punch Set		Chisel and Punch Set of 12 Pieces: Each piece forged construction for strength Hardened, quenched, and tempered for long life and durability. Chisel body using alloy steel, overall heat treatment. Centre punch-1/4", 5/16", Starter 3/32", Pin 1/16", 1/8", 5/32", 3/16", 1/4", 5/16", Prick-3/8", Cold chisel-1/2", 5/8" Tool/ item should be of reputed make and conforming to standard quality	- Helps to edit the workpiece as per convenience.	2,160

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
N.A	N.A	Leather apron		Leather Apron with Pockets Adjustable Neck Strap Size: Standard Regular Free Size With Min One Large Pockets for carrying large tools and Min 6 Small Pockets for smaller tools Warranty: Min. One year Tool/ item should be of reputed make and	-Gives protection from high heat and temperature	2,700


Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
				conforming to standard quality		
NA	NA	Cleaning liquid		Stainless Steel Polish, Acid Free Liquid, Can of 5 Liters	-Used in buffing and polishing metals	2,000
NA	NA	Safety helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. Tool/ item should be of reputed make and conforming to standard quality	-Protects head from injuries	500
NA	NA	Leather gloves		Leather Safety Gloves Heat, Cut, Wear & Tear Resistant, Anti-Impact Coated Size: Free Size Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Protects hand from hot metal, molten liquid etc.	400
NA	NA	Safety goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in	-Protects eyes from metal chips and dust	200

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
				various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Tool/ item should be of reputed make and conforming to standard quality		
Total						17,730

LOCKSMITH: SET A

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Using hammer		Air hydraulic riveter		Air Hydraulic Riveter Stroke Length : Min 14mm Rivet Size: 2.4mm 3.2mm 4mm 4.8mm; Pneumatic, , Fast Hitting, Grip Material: Steel, Heavy Duty, Number of Nose Pieces: 04 Air Inlet: ¼” With standard box accessories Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Better finishing, time saving and accuracy.	4,900
Hammer and Chisel		Key cutting machine		Electric automated key duplicator cutting machine 230VAC, 50Hz Cutting Type: Single and Double Bitted Keys With Hand Crank Override With standard box accessories Tool/ item should be of reputed make and conforming to standard quality Warranty: Min. One year	-Time saving, effective, accurate and fast results	9,032

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
NA	NA	Safety helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. Tool/ item should be of reputed make and conforming to standard quality	-Protects head from injuries	500
NA	NA	Leather apron		Leather Apron with Pockets Adjustable Neck Strap Size: Standard Regular Free Size With Min One Large Pockets for carrying large tools and Min 6 Small Pockets for smaller tools Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Gives protection from high temperature	2,700
NA	NA	Leather gloves		Leather Safety Gloves Heat, Cut, Wear & Tear Resistant, Anti-Impact Coated Size: Free Size Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Protects hand from hot metal, molten liquid etc.	400
NA	NA	Safety goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection.	-Protects eyes from metal chips and dust	200

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
				Tool/ item should be of reputed make and conforming to standard quality		
Total						17,732

GOLDSMITH (SUNAR): SET A

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GS
Emery Paper, File		Micro motor with Finishing accessories		Type of motor: Carbon brush motor: Min. 65w Torque: Min. 280 gf.cm Direction Control Speed Range: 0-40,000 rpm Tool/ item should be of reputed make and conforming to standard quality. Foot pedal for variable speed control Bur size: Min. 2.35mm	-Portable -Fine/ accurate speed control -Low maintenance / less breakdowns -Improves workmanship quality of surface finish with consistency -Improves productivity due to less breakdowns	5,900
NA	NA	<u>Heavy Duty</u> Cutter		<u>Heavy Duty</u> Cutter made with Carbon steel with plastic insulation Size 200mm Tool/ item should be of reputed make and conforming to standard quality	-For Cutting gold /silver ingots	2,360

Conventional weighing Scale		Portable Digital weighing balance		Portable Digital Weighing Balance CE/ISI marked Type: Digital Body: ABS plastic Display: LCD Backlit: Yes Weighing Capacity: 600 gm Pan size: 60x70mm Least Count /Accuracy: 0.01 gm Calibration: Auto Operating Temp.: 10-40 Deg C Tare Capacity : Tare full capacity Supply : Battery Operated (2 X AAA) Tool/ item should be of reputed make and conforming to standard quality	--Improves measurement accuracy -Removes human measurement errors -Helps ensuring correct weight of jewellery demanded by customer.	3,540
NA	NA	Doming Block with Dapping Punch set		Doming Block with Dapping Punch set Doming Block Size : 2 " x 2 " Dapping Punch Qty : Set of 24 punches Range of Dapping Punch Ball Diameters: 2.3 mm to 25mm Material : High density hardened Steel Tool/ item should be of reputed make and conforming to standard quality	-Helps making new shape & forms for different jew. designs -Improves productivity with consistent quality	1,416
Steel scale		Digital Vernier Caliper		High precision digital Vernier Calliper CE/ISI marked. Type: Digital Body: Stainless Steel Display: LCD Operating Temp.: 5-40 Deg C Measuring Range: 150 mm Least Count: 0.01mm Accuracy: 0.02mm < 100mm 0.03 mm for 100-150mm Supply: Battery Operated (Alkaline Lithium Button cell, 1.5V,180 mAH) Tool/ item should be of reputed make and conforming to standard quality	-Improve measurement accuracy -Remove human measurement errors -Helps achieving / offering critical dimensions demanded by customer	1,121

NA	NA	Grooving / Forming Block		Grooving / Forming Block Size : Length – 3” , Width – 2” , Height – 2” Material : High density Hardened Steel Tool/ item should be of reputed make and conforming to standard quality	-Helps making new shape & forms for different jew. designs -Improves productivity with consistent quality.	767
NA	NA	Jeweller’s saw frame with blades		Saw frame with Blades no 2,3,4,5,6 Frame size 150 mm Tool/ item should be of reputed make and conforming to standard quality	-Used for precision cutting of different shapes	413

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GS
Acetylene cylinder		Gas Micro Torch with Refilling Cylinder	 	Gas Micro Torch Burner Type: Piezo Gas Burner Type: Refillable Flame temperature: 1300 Degree Centigrade Cylinder Capacity: 270g (500 ml) Type of Gas: Butane Tool/ item should be of reputed make and conforming to standard quality	-Portable -Low maintenance -Cost effective	920
Asbestos sheet		Ceramic Solder plate		Material: Non- hazardous Ceramic Tool/ item should be of reputed make and conforming to standard quality	-Non-hazardous -Long working life	236

Randomly Assorted Files		Jeweller's File set		File set Qty : 6 files <u>of different types</u> (1 Set) Length : 140 mm / Material : Hardened Steel Tool/ item should be of reputed make and conforming to standard quality	-Helps finishing intricate areas of designs having negative surfaces -Improve quality of workmanship	212
NA	NA	Protective Goggle & Face Mask		Safety Goggle & face Mask. Non hazardous material Tool/ item should be of reputed make and conforming to standard quality	-Adds to personal safety -Minimize health hazards	118
Total						17,003

MASON – SET A: Brick Mason


PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Ghamela		Wheel Barrow		Size/Dimension: With Single rubber wheel galvanized body : L 760 x W 450 x D 300 mm · Chassis : Heavy Duty, wheel Robust Steel Chassis angle and pipe structure Body : Made from 14 swg sheet Capacity: Min. 200 Kg. Tool/ item should be of reputed make and conforming to standard quality	By utilizing a Wheelbarrow, material can be easily transported from one point to another in larger quantities. This efficiency allows the work to be completed faster, as it reduces the time and effort required to move materials manually. The increased capacity of a wheelbarrow helps streamline the construction process, leading to quicker project completion.	3,650
Measurement Tape/ Line Dori/Level tube		Laser beam Measurement		Battery 2x1.5 V, AAA, Material : Plastic Display : LCD Measurement range : upto 40 meter Measurement time: less than 0.5 Second Data storage: Upto 99 measurements Accuracy: Upto +/- 2 mm Water resistant: IP 54 CE/ISI marked Warranty: One year Tool/ item should be of reputed make and conforming to standard	A laser beam measurement instrument is a tool that makes measurements more accurate in construction work. In bricklaying, the laser beam creates a clear line for bricklayers to follow, so they can lay bricks in a straight and level way.	3,000

				quality		
plumb bob, Right Angle		Cross Line Laser Level		With 360 degree horizontal and 180 degree vertical line, working range 10-25 mtr, +/- 3 degree self-levelling range. Levelling Accuracy : +/- .1.5 mm in a range of 5mtr -7 mtr length Working voltage 6V, Laser power: Minimum 30 mw Material: High density plastic Tool/ item should be of reputed make and conforming to standard quality	-It has a ¼ inch thread which makes it compatible with tripods to offer high precision - It is engineered to guide the user with accurate laser projected lines	3,000
Standard Hammer		Brick Hammer		Head Material: Hardened steel for durability. Head Shape: Dual-sided, one side for splitting and the other for trimming. Sizes: Typically, around 16 inches in length. Handle: Wooden or fiberglass for comfortable grip. Used for cutting and shaping bricks, stones, and masonry units in construction. Reputed and standard make Tool/ item should be of reputed make and conforming to standard quality	It is used for rough cutting of bricks in different shapes and sizes. One end of the hammer is square, and another end is sharp-edged. It has one flat traditional face and a short or long chisel shaped blade. It is also used to push the bricks if they come out from the course line.	800

Standard Trowel		Bricklaying Trowel		Round point brick trowel, with wood handle Blade length: 200mm +/- 2mm Blade width: 120mm +/-2mm Handle length: 140mm +/-10mm High grade steel, Hardened and tempered, ground polished. Tool/ item should be of reputed make and conforming to standard quality	The trowel's design makes the bricklaying process quicker and more efficient, saving time and effort. It's an essential tool for bricklayers to achieve good results in their work.	400
Water level tube		Spirit Level 300 mm		Size. 30 cm. Tool/ item should be of reputed make and conforming to standard quality	Using spirit level helps in fast and accurate work, especially when levelling walls. It eliminates the need for a line dori and straight edge, making the leveling process more efficient	1,000
-NA-	-NA-	Drafting Chisel		Blade Material: High-carbon steel for strength. Blade Shape: Wide, flat edge with bevelled sides. Sizes: Various lengths, typically 2 to 4 inches wide. Handle: Often made of wood, rubber, or plastic for grip. Used for cutting and shaping bricks, stones, and masonry materials in construction. Tool/ item should be of reputed make and conforming to standard quality	A drafting chisel, also known as a brick chisel, is a specialized tool used in masonry work. It is used in conjunction with a hammer to cut bricks into required sizes and shapes.	200
Wooden flat Trowel		Aluminium Straight Edge		4 inches x 1 inches x 5 feet Tool/ item should be of reputed make and conforming to standard quality	Levelling and use for base of spirit level to check in extended length	900

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Half body harness		Full Body Harness		Consists of shoulder straps, leg straps, and a waist belt. Material: Strong, durable nylon webbing with reinforced stitching. Features: Adjustable straps, multiple attachment points, shock-absorbing lanyards. Purpose: Used for fall protection in various industries, securing a person's entire body to prevent falls from heights, ensuring safety during elevated work. Should conform to relevant IS standards. Tool/ item should be of reputed make and conforming to standard quality	A full body harness is a body holding device used to protect workers from falls by distributing the force of the fall over a large area of the body, ensuring that the subject of the fall remains suspended in an upright position after the fall has occurred	1,300
No Helmet Used		Safety Helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. <u>Free size</u> Tool/ item should be of reputed make and conforming to standard quality	-Provides head protection against falling objects, impacts, and electrical hazards on construction sites and other hazardous environments. -Complies with safety standards to ensure proper safeguarding.	500
No jacket used		Safety Jacket		Material: High-visibility polyester or similar fabric. Features: Reflective strips, zip or Velcro closure, pockets. Sizes: Various sizes for different body types. Purpose: Enhances visibility and safety in low-light or high-risk environments, often worn by construction workers, road crews, and others working	Enhances visibility and safety in low-light or high-risk environments, often worn by construction workers, road crews, and others working	120

				crews, and others working in hazardous conditions. Tool/ item should be of reputed make and conforming to standard quality	in hazardous conditions.	
No goggles Used		Safety goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Tool/ item should be of reputed make and conforming to standard quality	Safety goggles are tight-fitting eye protection that completely cover the eyes, eye sockets and the facial area around the eyes and provide protection from impact, dust, mists, and splashes	100
Total						14,970

MASON – SET B: Tile Mason

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit ItemPart

1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Right angle/Spirit Level		Cross Line Laser Level		With 360 degree horizontal and 180 degree vertical line, working range 10-25 mtr, +/- 3 degree self-levelling range. Levelling Accuracy : +/- .1.5 mm in a range of 5mtr -7 mtr length Working voltage 6V, Laser power: Minimum 30 mw Material: High density plastic Tool/ item should be of reputed make and conforming to standard quality	-It is engineered to guide the user with accurate laser projected lines.	3,000
Standard Trowel		Mixing machine		Dimensions -59 x 28 x 21 cm; Weight - <u>min.</u> 3.9 Kilograms. Machine 1300 watt copper winded motor and chrome-plated iron rod Tool/ item should be of reputed make and conforming to standard quality	-For mixing of Adhesive / Mortar very fast and right consistency.	2,750
Emery Stone		Angle grinder with polishing wheel		No load speed: Min 11000 Rpm, Power: Min 800 W, Wheel dia. Min. 100 mm 220 V, 50 Hz Buffing Wheel Pad, Non-Woven Fabric Thickness: 5 mm Bore diameter: 16mm Application: polishing stainless steel metal marble glass ceramic Tool/ item should be of reputed make and conforming to standard	-Multipurpose and time saving	3,700

				quality, ISI Marked		
Spacers / Trowel		Tile Levelling Pliers		Material- Metal, handles covered with plastic Size 24 cm x 12 cm Weight: Min 250 gms Tool/ item should be of reputed make and conforming to standard quality	-Accurate Levelling System Advantages: Very easy to learn and use at all skill levels. Installation is twice as fast and virtually eliminates lippage. Prevents tiles from moving while drying. Re-usable wedge. More profitable for the installer. Ideal for tiles 300mm or larger. Reduces installer fatigue and stress. Lippage free, level surface drastically reduces the need for grinding.	550
Manually Hammer and Chisel		Drill Machine set		Electric Corded Impact Drill Machine Set (Power Tool), Rated Power: Min 500W at 230VAC, No Load Speed:Min 2600RPM, Chuck Capacity:1.5-10mm, With following hand tools: One claw hammer with steel head and soft grip, Combination plier of steel and soft grip, Snap of Blade Cutter, Spirit level, Metal Adjustable Wrench, Measuring Tape, Drills bits, : Mason Drill Bits: min 05 nos with size ranging from 1.5mm to 10mm	Using a drill machine for small tasks like drilling holes for pipes or fixing conduits enables faster completion of the work. The power drill's efficiency and speed make it much quicker to create the necessary holes, allowing for a more streamlined construction	5,136

				Wood Drill Bits: min 05 nos with size ranging from 1.5mm to 10mm Metal Drill Bits: min 04 nos with size ranging from 1.5mm to 10mm Min 10 nos. screw driver bits Min 08 sockets for wrench and various screws and wall plug adapters. Complete Kit of 100 Pcs, Warranty: Min 1year With standard box accessories Tool/ item should be of reputed make and conforming to standard quality	process. This saves time and effort, making the overall project progress at a faster pace	
Wooden flat Trowel		Aluminum Straight Edge		4 inches x 1 inches x 5 feet Tool/ item should be of reputed make and conforming to standard quality	-Levelling and use for base of spirt level to check in extended length	900
Standard Trowel		Notched trowel		Blade Material: Hardened steel. Notch Patterns: Varies for tile adhesive type and size. Sizes: Typically, 9 inches in length. Handle: D-shaped or ergonomic for control. Used for spreading adhesive in tiling. Tool/ item should be of reputed make and conforming to standard quality	-Notched trowels scoop thin-set, a cement-based mortar adhesive, and spread it over floors and walls. The distinctive notches on the sides of the trowel create an even base of ridged mortar. When a tile is placed, the mortar compresses to provide a complete bond between the tile and the wall/floor.	300

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
No Helmet Used		Safety Helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. Tool/ item should be of reputed make and conforming to standard quality	-Provides head protection against falling objects, impacts, and electrical hazards on construction sites and other hazardous environments. -Complies with safety standards to ensure proper safeguarding.	500
No jacket used		Safety Jacket		Material: High-visibility polyester or similar fabric. Features: Reflective strips, zip or Velcro closure, pockets. Sizes: Various sizes for different body types. Purpose: Enhances visibility and safety in low-light or high-risk environments, often worn by construction workers, road crews, and others working in hazardous conditions. Tool/ item should be of reputed make and conforming to standard quality	Enhances visibility and safety in low-light or high-risk environments, often worn by construction workers, road crews, and others working in hazardous conditions.	120
No goggles used.		Safety goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Tool/ item should be of reputed make and	Safety goggles are tight-fitting eye protection that completely cover the eyes, eye sockets and the facial area around the eyes and provide protection from impact, dust, mists, and splashes	100

		Safety shoes		Material: Leather or synthetic upper with protective toe cap (steel or composite). Features: Slip-resistant sole, puncture-resistant midsole, cushioning. Types: Steel-toed, composite-toed, metatarsal guard options. Purpose: Provides foot protection against impact, compression, and puncture hazards in industrial and construction settings, reducing the risk of foot injuries. Tool/ item should be of reputed make and conforming to standard quality	Safety shoes is paramount as a piece of safety equipment PPE that is essential for workers who are exposed to hazardous situations and environments. They help protect the feet from potential occupational hazards such as falling objects, sharp objects, electrical dangers, slipping, and more	
--	--	--------------	---	---	---	--

MASON – SET C: Plaster Mason


PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Right angle/Spirit Level		Cross Line Laser Level		With 360 degree horizontal and 180 degree vertical line, working range 10-25 mtr, +/- 3 degree self-levelling range. Levelling Accuracy : +/- .1.5 mm in a range of 5mtr -7 mtr length Working voltage 6V, Laser power: Minimum 30 mw Material: High density plastic Tool/ item should be of reputed make and conforming to standard quality	- It has a ¼ inch thread which makes it compatible with tripods to offer high precision.	3,000
Ghamela / Mortar Pan		Wheel Barrow		Size/Dimension: With Single rubber wheel galvanized body : L 760 x W 450 x D 300 mm · Chassis : Heavy Duty, wheel Robust Steel Chassis angle and pipe structure · Body : Made from 14 swg sheet Capacity: Min. 200 Kg. Tool/ item should be of reputed make and conforming to standard quality	This efficiency allows the work to be completed faster, as it reduces the time and effort required to move materials manually.	3,650

Mixing without tray		Mortar Mixing tray		Material: Mild steel – 5 mm thick Size: 6x4 Feet Tool/ item should be of reputed make and conforming to standard quality	The tray's design prevents any excess mortar or concrete from spilling or dripping, ensuring efficient and precise application. Additionally, the metal tray prevents water from leaking out of the mortar or concrete mix, maintaining the right consistency and strength of the material	1,950
Concrete Scrapper		Angle grinder		No load speed: Min 11000 Rpm, Power: Min 800 W, Wheel dia. Min. 100 mm 220 V, 50 Hz Tool/ item should be of reputed make and conforming to standard quality	Multipurpose and time saving	2,400
Wooden flat Trowel		Steel Float		Blade Material: Durable, non-reactive materials like magnesium or aluminium. Blade Type: Flat or slightly curved. Sizes: 12 inches in length, 3 inches in width. Handle: Made of wood, aluminium, or other lightweight materials. Used to smooth and level wet concrete surfaces. Tool/ item should be of reputed make and conforming to standard quality	A finishing trowel/ steel float is an important tool for many types of construction. It's used to smooth out materials like mortar, plaster, and concrete. It has a very straight, angled blade designed to fit precisely into right angles and smooth out the surface of the	300

					mixture in straight lines.	
Normal Spade		Quality Spade		Weight: Min. 1.9 Kg. Wooden handle 75- 90 cm length Tool/ item should be of reputed make and conforming to standard quality	Mixing of Mortar	250
Mortar Pan/Ghamela		Quality Mortar Pan/Ghamela		Galvanised steel made :Min 3mm thick, Semi-circular shape , Dia 1.5 feet Tool/ item should be of reputed make and conforming to standard quality	-A normal Ghamela with sharp edges can be hazardous and may cut your hand during use.	200
Standard Trowel		Pointed Trowel		Size 4.5 inch x 2.25 inch Quality: Metal blade durable wooden handle length of 5 inches, Tool/ item should be of reputed make and conforming to standard quality	It is used for filling the mortar at corners and edges	200
Manually Hammer and Chisel	 	Drill Machine set		Electric Corded Impact Drill Machine Set (Power Tool), Rated Power: Min 500W at 230VAC, No Load Speed: Min 2600RPM, Chuck Capacity:1.5-10mm, With following hand tools: One claw hammer with steel head and soft grip, Combination plier of steel and soft grip, Snap of Blade Cutter, Spirit level, Metal Adjustable Wrench, Measuring Tape, Drills bits,; Mason Drill Bits: min 05 nos with size ranging from 1.5mm to 10mm Wood Drill Bits: min 05 nos with size ranging from 1.5mm to 10mm	Using a Drill machine for small tasks like drilling holes for pipes or fixing conduits enables faster completion of the work. The power drill's efficiency and speed make it much quicker to create the necessary holes, allowing for a more streamlined construction process. This saves time and effort, making the overall project progress at a faster pace	5,136

				Metal Drill Bits: min 04 nos with size ranging from 1.5mm to 10mm Min 10 nos. screw driver bits Min 08 sockets for wrench and various screws and wall plug adapters. Complete Kit of 100 Pcs, Warranty: Min 1year With standard box accessories Tool/ item should be of reputed make and conforming to standard quality		
Wooden flat Trowel		Aluminium Straight Edge		4 inches x 1 inches x 5 feet Tool/ item should be of reputed make and conforming to standard quality	Levelling and use for base of spirt level to check in extended length	900
Total						17,986


MASON – SET D: Concrete Mason/ Dhalai Mason

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Steel bar		Hand Vibrator		1200 W, copper armature, needle pipe, 35 mm dia made of wire braded hose pipe 3 mtr length 13000rpm Tool/ item should be of reputed make and conforming to standard quality	Concrete vibrators eliminate air bubbles by vigorously shaking the freshly poured concrete.	3,650
Right angle plumb		Cross Line Laser Level		With 360 degree horizontal and 180 degree vertical line, working range 10-25 mtr, +/- 3 degree self-levelling range. Levelling Accuracy : +/- .15 mm in a range of 5mtr -7 mtr length Working voltage 6V, Laser power: Min 30 mw Material: High density plastic Tool/ item should be of reputed make and conforming to standard quality	It has a ¼ inch thread which makes it compatible with tripods to offer high precision. -It has a 4-degree self-levelling range and a visible red laser range of 36 feet.	3,000
Manually Shifting		Wheel Barrow		Size/Dimension: With Single rubber wheel galvanized body: L 760 x W 450 x D 300 mm · Chassis : Heavy Duty, wheel Robust Steel Chassis angle and pipe structure · Body : Made from 14 swg sheet Capacity: Min. 200 Kg. Tool/ item should be of reputed make and conforming to standard	By utilizing a Wheelbarrow, material can be easily transported from one point to another in larger quantities. This efficiency allows the work to be completed faster, as it	3,650

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
				quality	reduces the time and effort required to move materials manually. The increased capacity of a wheelbarrow helps streamline the construction process, leading to quicker project completion.	
Standard Trowel		Pointed Trowel		Size 4.5 inch x 2.25 inch Quality: Metal blade durable wooden handle length of 5 inches, Tool/ item should be of reputed make and conforming to standard quality	The trowel's design makes the bricklaying process quicker and more efficient, saving time and effort. It's an essential tool for bricklayers to achieve good results in their work	400
Normal Spade		Quality Spade		Weight : Min. 1.9 Kg. Wooden handle 75- 90 cm length Tool/ item should be of reputed make and conforming to standard quality	Mixing, Placing, Leveling and Smoothing of Concrete	250
-NA-	-NA-	Shovel		Weight : Alloy Steel Total end to end Length: Min 39 Inch Width of Metal Shovel Head: min 11 inch Length of Metal Shovel Head: min 11 inch Tool/ item should be of	Mixing, Placing, Leveling and Smoothing of Concrete	250

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
				reputed make and conforming to standard quality		
Manually Shifting		Ghamela		Galvanised steel made :Min 3mm thick, Semi-circular shape , Dia 1.5 feet Tool/ item should be of reputed make and conforming to standard quality	Transporting / Shifting concrete safely & efficiently.	200

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Manually Hammer and Chisel		Drill Machine Set		Electric Corded Impact Drill Machine Set (Power Tool), Rated Power: Min 500W at 230VAC, No Load Speed: Min 2600RPM, Chuck Capacity:1.5-10mm, With following hand tools: One claw hammer with steel head and soft grip, Combination plier of steel and soft grip, Snap of Blade Cutter, Spirit level, Metal Adjustable Wrench, Measuring Tape, Drills bits, :Mason Drill Bits: min 05 nos with size ranging from 1.5mm to 10mm Wood Drill Bits: min 05 nos with size ranging from 1.5mm to 10mm Metal Drill Bits: min 04 nos with size ranging from 1.5mm to 10mm Min 10 nos. screw driver bits Min 08 sockets for wrench and various screws and wall plug adapters. Complete Kit of 100 Pcs, Warranty: Min 1year With standard box accessories Tool/ item should be of reputed make and conforming to standard quality	Using a Drill machine for small tasks like drilling holes for pipes or fixing conduits enables faster completion of the work. The power drill's efficiency and speed make it much quicker to create the necessary holes, allowing for a more streamlined construction process. This saves time and effort, making the overall project progress at a faster pace	5,130

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
No Helmet Used		Safety Helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. Tool/ item should be of reputed make and conforming to standard quality	-Provides head protection against falling objects, impacts, and electrical hazards on construction sites and other hazardous environments -Complies with safety standards to ensure proper safeguarding.	500
No jacket used		Safety Jacket		Material: High-visibility polyester or similar fabric. Features: Reflective strips, zip or Velcro closure, pockets. Sizes: Various sizes for different body types. Purpose: Enhances visibility and safety in low-light or high-risk environments, often worn by construction workers, road crews, and others working in hazardous conditions. Tool/ item should be of reputed make and conforming to standard quality	Enhances visibility and safety in low-light or high-risk environments, often worn by construction workers, road crews, and others working in hazardous conditions.	120
No goggles Used		Safety goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Tool/ item should be of reputed make and conforming to standard quality	Safety goggles are tight-fitting eye protection that completely cover the eyes, eye sockets and the facial area around the eyes and provide protection from impact, dust, mists, and splashes.	100

		Safety shoes		Material: Leather or synthetic upper with protective toe cap (steel or composite). Features: Slip-resistant sole, puncture-resistant midsole, cushioning. Types: Steel-toed, composite-toed, metatarsal guard options. Purpose: Provides foot protection against impact, compression, and puncture hazards in industrial and construction settings, reducing the risk of foot injuries. Tool/ item should be of reputed make and conforming to standard quality	Safety shoes is paramount as a piece of safety equipment PPE that is essential for workers who are exposed to hazardous situations and environments. They help protect the feet from potential occupational hazards such as falling objects, sharp objects, electrical dangers, slipping.	
Total						17,250
						86

FISHING NET MAKER: SET A

Section A: Details of Existing & Proposed Tool Kit Items

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Screwdriver with sharp edges		Awl		Dimensions Length: 10 cm to 20 cm Diameter: 2 mm to 5 mm Tip angle: 30 degrees to 60 degrees Hole diameter: 1 mm to 3 mm Material: metal with wood handle Tool/ item should be of reputed make and conforming to standard quality	Precise Hole Creation: An awl allows for accurate and controlled piercing of holes in netting materials. Efficient Net Construction Neat and Uniform Holes Improved Thread Placement: Awls help guide twine through holes. Quick Repairs	1,008
Normal Knife		Rope Cutter		Material- Steel Dimension- 6 " Tool/ item should be of reputed make and conforming to <u>relevant standards & quality</u>	Efficient Cutting. Clean and Neat Cuts Time-Saving Repairs. Reduced Tangling Precise Mesh Adjustments	784

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Plant Fibres/ mainly cotton/silk/wool		Net Material / Fibre		HDPE, Nylon, Polyester multifilament, monofilament, HDPE braided & twisted, and Tire cord fishing net <i>Quantity : 1 Kg each</i> Tool/ item should be of reputed make and conforming to relevant standards & quality	Strength and Durability Lightweight Reduced Environmental Impact Flexibility Resistance to UV and Chemicals	3,024
Cotton Twine		Mesh Repair Twine		Material: nylon, polypropylene, polyester, or HDPE material HDPE twine 0.5mm, 0.75mm, 1mm, 1.2mm, 1.5mm, 2mm, 2.5mm Total weight - 3kg Tool/ item should be of reputed make and conforming to relevant standards & quality	Quick Repairs Cost Savings Reduced Waste Customizable Repairs Enhanced Net Integrity	1,680
No equipment		Plastic sheet		Dimension: 10ft x 10ft Material: Plastic fabric Color: any color Thickness: 2mm Tool/ item should be of reputed make and conforming to relevant standards & quality	The smooth surface of plastic sheets reduces friction, allowing for smoother and more efficient net weaving and repairing. Used for spreading the tools and net for convenient working	1,344
No equipment		Gloves		Material: Cotton elastic cuffs, anti-slip or anti-cut coating <i>Quantity : 1 pair</i>	Hand Protection Reduced Risk of Cuts and Abrasions Improved Grip Prevention of Skin Irritation	560

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
				Tool/ item should be of reputed make and conforming to relevant standards & quality	Comfort and Prolonged Use	
No equipment		Netting Stretchers (Ropes)		Material: Nylon Weight: Depends on the material and size 2kg Features: Adjustable, foldable, easy to use, etc. Tool/ item should be of reputed make and conforming to relevant standards & quality	Uniform Mesh Size. Proper Tension Enhanced Knot Security Efficient Repair Tailored Customization	672
No equipment		Synthetic Floats and Sinkers		Material: Synthetic PVC etc Size: 110x70x20 mm Buoyancy : 300 gm Tool/ item should be of reputed make and conforming to relevant standards & quality	Floats: Enhance buoyancy, keeping the fishing net afloat for better visibility and reduced entanglement. Sinkers: Improve net sinking, aiding in targeting specific water depths and improving catch efficiency during fishing operations.	560
Simple Knife		Steel Wire Cutters		Material-Steel, PVC sleeve Size: 8'' should be able to cut steel wires up to 4mm diameter Tool/ item should be of reputed make and conforming to relevant standards & quality	Efficient Cutting: Precise cutting Durability Reduced effort	1,008

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Manually encolling the ropes. Spikes or screw drivers.		Pliers		Material- Steel/Galvanized Iron Types: Wise grip plier Long nose 8" Tool/ item should be of reputed make and conforming to relevant standards & quality	Secure Knots: Pliers provide a strong grip, helping fishermen tie knots securely in netting materials. Cutting and Trimming Bending and Shaping	1,008
No equipment		Net washing brush		Normal Brushes Material: Plastic Size: 17.6 x 11.8 x 7.4 cm Tool/ item should be of reputed make and conforming to relevant standards & quality	Effective Cleaning Prevents Fouling Maintains Efficiency Prolongs Lifespan Reduces Corrosion	336
No equipment/Han d measurement		Tape measure		Tape measure that has a width of 0-20 mm and a length of 10-20 m. Material- Steel Type Rolling type Tool/ item should be of reputed make and conforming to relevant standards & quality	Accurate Mesh Sizing Precision in Net Construction Proper Knot Placement Efficient Repairs Preventing Waste	448
TOTAL						17,450
						92


POTTER (KUMHAR): SET A

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Traditi onal Potter' s wheel		Electric Potter Wheel		Rep Width: Min 525 millimeter Length: Min 810 millimeter Height: Min 475 millimeter Motor (ISI marked) Power:Min 0.25 horsepower Power Supply: Single Phase, 230V, 50Hz Center Load Carrying Capacity: Min 20 Kg Tool/ item should be of reputed make and conforming to relevant standards & quality	Upgrading the pottery making from manual to Electric machine which is time and energy saving, more precise and easy to operate.	11,700
Manua lly by Hand		Clay Modelli ng Tools		Professional Pottery Tools Kit for Clay Pottery Sculpting, Scarping, Cutting, Fine Detailing, Smoothering, Shaping & Trimming set of 19 tools. Tool/ item should be of reputed make and conforming to relevant standards & quality	Professional Pottery Tools Kit for Clay Pottery Sculpting, Scarping, Cutting, Fine Detailing, Smoothering, Shaping & Trimming	2,200
Manua lly by Hand		Inner And Outside Caliper		Stainless Steel Inner And Outside Caliper Pottery Clay Measuring Tools Accuracy 1mm Measuring range 250mm for clay Tool/ item should be of reputed make and conforming to relevant standards & quality	Stainless Steel Inner And Outside Caliper Pottery Clay Measuring Tools Accuracy 1mm Measuring Range 250mm For Clay	1,800

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Threads (Cotton/Nylon/Synthetic)		Cut-Off Wires		0.5 mtr with handle on both sides Tool/ item should be of reputed make and conforming to relevant standards & quality	This is used to detach the pot from the rotating potter wheel.	300
Painting Brushes		Painting Brushes		Set of 6 paint brushes with synthetic hair, Round Oval head with long handle (40 cm long). Tool/ item should be of reputed make and conforming to relevant standards & quality	It is used for painting and decorating the items	1,000
TOTAL						17,000

POTTER (KUMHAR): SET B

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Existingg Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) <u>(Should be indicative price without GST)</u>
Traditi onal Potter' s wheel		Electric pottery machine with clay and tool set		280W Motor, 25cm Wheel, Dual-Speed Control (Foot Pedal & Hand Lever), Reversible Operation, Includes 1kg Natural Clay Powder and Tool Set	Upgrading the pottery making from manual to Electric machinewhich is time and energy saving, more precise and easyto operate.	15000/-
TOTAL						15,000

SCULPTOR (MOORTIKAR)/ STONE CARVER/ STONE BREAKERS: SET A

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Rasps/ Sand paper		Stone Polisher		Heavy Duty Electric Random Orbit Sander, Min 250W, Min 12,000 rpm, Min 24,000 opm, 125 mm Pad Dia., Hook-and-Loop Fastening, 1.3 kg + Micro filter box & Sanding Disc Tool/ item should be of reputed make and conforming to relevant standards & quality	Polishes the stone to smoothen the edges and giving shine to the product	6,000
Paint Brush		Painter Spray Gun		Tank Volume: 550 Millilitres Dimensions LxWxH: 20.7 x 12.2 x 12.2 Centimeters Material : Mild Steel Tool/ item should be of reputed make and conforming to relevant standards & quality	Paint spray gun is used to spray paint evenly on the moorti such as durga moorti and other sculptures.	1,200
Traditi onal Hamm er		Advanc ed Hamm er combo		Steel Ball Peen Hammer with Handle & Brown and Black Hammer (500g) each Made up of high-grade carbon steel, striking surfaces should be hardened up to 46 - 58 HRCs Tool/ item should be of reputed make and conforming to relevant standards & quality	Hammer is used to nail and fix the structures for the idols.	500

Hammer and Chisel		Electric Stone/ Tile/ Marble Cutter		Corded Electric Diamond Tile/Marble Cutter, Min 1450W, 125 mm Disc Dia, Min 12,000 rpm, Double Insulation, Overload Capacity, 3 kg + Hex Key & Hexagon Socket Wrench. Tool/ item should be of reputed make and conforming to relevant standards & quality	The Electric Stone Cutter revolutionizes sculpting by providing precision and efficiency. Its powerful motor and adjustable settings enable artists to effortlessly cutting stones in desired shapes.	4,500
Screwdriver and pliers		Screwdriver and pliers		8" inch straight head plier and 6X100mm Short 2-In-1 Reversible Screw Driver Tool/ item should be of reputed make and conforming to relevant standards & quality	To shape the internal support structure and some detailing.	250
Measuring Tape		Measuring Tape		Length : 5Mtr. Width : 19mm Tool/ item should be of reputed make and conforming to relevant standards & quality	Advanced measurement tape	150

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Pencil, Eraser		Pencil, Eraser, & Sharpener		Type: 4 no. of HB Pencil, Eraser & Sharpener each. Tool/ item should be of reputed make and conforming to relevant standards & quality.	Standard For marking the guides and lines for sculpting	100
Twine Thread		Twine thread		Twine thread 60 kg	Twine threads are used to tie the hay to get the basic structure of idols.	4,800


Total

17,500

SCULPTOR (MOORTIKAR)/ STONE CARVER/ STONE BREAKERS: SET B

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) <u>(Should be indicative price without GST)</u>
Paint Brush		Painter Spray Gun		Tank Volume: 550 Millilitres Dimensions LxWxH: 20.7 x 12.2 x 12.2 Centimeters Tool/ item should be of reputed make and conforming to standard quality	Paint spray gun is used to spray paint evenly on the moorti such as durga moorti and other sculptures.	1,200
Traditional Hammer		Advanced Hammer combo		Ball Pen Hammer with Handle & WH 500 B Steel (500g) Ball Pen Hammer with Handle (Brown and Black) Combo Tool/ item should be of reputed make and conforming to standard quality	Hammer is used to nail and fix the structures for the idols.	500
Hammer and Chisel		Electric Stone/ Tile/ Marble Cutter		141 Corded Electric Diamond Tile/Marble Cutter, 1,450W, 125 mm Disc Dia, 12,000 rpm, Double Insulation, Overload Capacity, 3 kg + Hex Key & Hexagon Socket Wrench. Tool/ item should be of reputed make and conforming to standard quality	The Electric Stone Cutter revolutionizes sculpting by providing precision and efficiency. Its powerful motor and adjustable settings enable artists to effortlessly cutting stones in desired shapes.	4,500

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) <u>(Should be indicative price without GST)</u>
Screwdriver and pliers		Screwdriver and pliers		8" inch straight head plier and 6X100mm Short 2-In-1 Reversible Screw Driver Tool/ item should be of reputed make and conforming to standard quality	To shape the internal support structure and some detailing.	250
Pencil, Eraser		Pencil, Eraser		Type : 4HB Pencil Eraser – Tool/ item should be of reputed make and conforming to standard quality	Standard For marking the guides and lines for sculpting	100
Twine Thread		Twine thread		80 Rs. Per Kg twine thread (120 kg)	Twine threads are used to tie the hay to get the basic structure of idols.	9,600
	TOTAL					16,150/-

DOLL & TOY MAKER (TRADITIONAL) – SET A: Glass Toy

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Old Burner (Torch)		Advanced Burner (Torch)		Brass Metal Burner <u>(for melting/ moulding glass material)</u> with two nozzles <u>having tip size of 2 mm dia</u> : Tool/ item should be of reputed make and conforming to relevant standards & quality	For melting the glass rod.	3,000
Blow pipe		Blow pipe (Steel/ Iron Hollow Pipes)		12mm- 20mm CS Tube Carbon Hollow Bar, Thickness: 2mm To 100mm Tool/ item should be of reputed make and conforming to relevant standards & quality	Used to pick up molten glass and blowing up the glass for making glass products.	4,000
Foot Balloon		Oxygen Regulator		Oxygen regulator with measuring <u>unit-guage</u> Tool/ item should be of reputed make and conforming to relevant standards & quality	To control the oxygen pressure	2,000
Foot Balloon		LPG Regulator		Normal LPG Regulator, ISI marked Tool/ item should be of reputed make and conforming to relevant standards & quality	to control the LPG pressure	500

Part 2: Accessories/Consumables/Safety Gears

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Indicativ e Pricing (in Rupees) excluding GST
Gloves		Heat/ Fire Resista nt Gloves		As one heat resistant cut resistant Gloves 380 mm Length Aramid & Cotton , S1Tk / 18 Should be able insulate heat of molted glass Tool/ item should be of reputed make and conforming to relevant standards & quality	Heat/Fire Resistant Gloves helps in handling molten glass process.	3,500
Iron Plate	Iron Plate	Carbon Plate		Carbon plate Assorted sizes like 6'*6'*1' Quantity: 40 Kgs Tool/ item should be of reputed make and conforming to standard quality	For levelling melted glass	4,000
Total						17,000

DOLL & TOY MAKER (TRADITIONAL) – SET B: Leather Toy

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Hand Cutting Tools		Die Cutting Machine set		Professional Leather Craft Tool with Waxed Thread Groover Awl Stitching Punch for Leathercraft with standard tool kits in a single packaging as per standard design and accessories, <u>minimum 60 pieces including - 2 stitching wheel tools, 1 safety skiver, 1 cutting knife, 1 adjustable groover, 1 awl, 1 needle kit, steel 4mm 1/2/4/6 prong, 1 copper sewing awl, 1 set of stamping tools, 5 waxed threads (50 mtr., different colours), 1 beeswax, 2 finger cots, 1 thimble ring, 5 nail files, 3 wool daubers, 1 A4 cutting mat, 1 A4 leather skin (8.26inch×11.69inch), 1 A5 leather skin (5.82inch×8.26inch) (both color random), 1 handy seam ripper, etc.</u> Tool/ item should be of reputed make and conforming to <u>relevant standards & quality</u>	Provides multiple tool kits in a single packaging kit	5,000
Steel Blade		Round Head Cutter		Round head cutter with high strength steel with wooden handle - used for precision cutting and shaving leather. Tool/ item should be of reputed make and conforming to <u>relevant standards & quality</u>	Easily cuts and shaves the leather	3,500

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Basic tools		Advanced Saddles		20 pcs of leather carving hand working saddle length: 6" Material: Steel Tool/ item should be of reputed make and conforming to relevant standards & quality	Helps in making multiple items of leather	2,000

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Leather		Vegan/ Synthetic Leather		8 Different colour (4x1 meter each). Tool/ item should be of reputed make and conforming to relevant standards & quality	Synthetic leather toys are more user friendly than leather toys.	2,000
Buttons		Safety Eyes and Noses		752pcs Safety Eyes and Noses with Washers Craft Doll Eyes Colorful Safty Eyes Assorted Sizes for Amigurumi Puppet Plush Animal Teddy Bear Puppet Stuffed Animals DIY Craft Tool/ item should be of reputed make and conforming to relevant standards & quality	Creative accessories for leather toy (eyes nose)	1,500
Basic Threads		Waxed Thread		Waxed thick threads different colour. Quantity : 24 Lengh: 200 mtr/each roll Material: Wax Thread Tool/ item should be of reputed make and conforming to relevant standards & quality	Quick Leather Sewing	3,000

Total

17,000

DOLL & TOY MAKER (TRADITIONAL) – SET C: Soft Toy

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Hand Sewing		Normal Sewing Machine		Single Needle Lockstitch Direct Drive Machine. 550 watts motor powers the machine enabling it to stitch at speeds as high as 5000 SPM (stitches per minute), IS 1610:2000 Tool/ item should be of reputed make and conforming to relevant standards & quality	Stitches the clothes faster	4,000
Sewing Spools/Threads, Needles, Breading Needles, Button, Metal Pins, Metal Thimbles, Hook, Needle Threader, Scissors, Pull Threader, Measuring Tape, Fabric Pencil, Seam Ripper, Magnifier, Safety pin, Case		Sewing Spools/Threads, Needles, Breading Needles, Button, Metal Pins, Metal Thimbles, Hook, Needle Threader, Scissors, Pull Threader, Measuring Tape, Fabric Pencil, Seam Ripper, Magnifier, Safety pin, Case		Sewing kit, includes 41pcs thread coil, needle kit(40pcs), threader, buttons, aluminum threader, various pins, scissors, pencil, measuring tape, seam ripper, thimbles, etc. Practical sewing kit for quilt stitching, clothes stitching, clothes repairing, DIY craft etc. Tool/ item should be of reputed make and conforming to relevant standards & quality	Used to decorate, stitch and repair soft toys.	1,000

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees)
---------------	-------	---------------	-------	----------------	----------------	--------------------------------

						excluding GST
Cotton		Synthetic cotton		40 Kg cotton/synthetic cotton.	Different types of cotton and other filling materials can be used to fill soft toys.	5,000
Cotton		Synthetic Hair		6 different types & colours of synthetic hair Size: 25*100 cm each Material : Synthetic Tool/ item should be of reputed make and conforming to relevant standards & quality	Synthetic hair for making dolls more aesthetic pleasing.	1,200
Buttons		Safety Eyes and Noses		752pcs Safety Eyes and Noses with Washers Craft Doll Eyes Colorful Safty Eyes Assorted Sizes for Amigurumi Puppet Plush Animal Teddy Bear Puppet Stuffed Animals DIY Craft Tool/ item should be of reputed make and conforming to relevant standards & quality	Provides different sizes and innovative shapes	800
Clothes and Fabrics		Clothes and Fabrics		Different types of fabrics (10 different colours & 6*6 meters each Material : Cotton Tool/ item should be of reputed make and conforming to relevant standards & quality	Used to decorate and make of soft toys	5,500
Total						17,500

DOLL & TOY MAKER (TRADITIONAL) – SET D: Wooden Toy

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Chisel		Electric Router		Plunge Router <u>min.</u> 1200W 55mm Variable Speed With 6 Router Bits with Spindle-lock & Anti-static shoe coating Tool/ item should be of reputed make and conforming to relevant standards & quality	Cuts into shapes quicker and easier	5,000
Sanding Paper		Advanced Papering Machine		Cordless Orbital Sander Wood Grinder Waxing Polishing for 18V, Li-ion battery 18 Watts, 6-inch dia polishing pad Tool/ item should be of reputed make and conforming to relevant standards & quality	Papering machine maintain smoothness in the product than the manual sanding paper.	4,000
Gouge		Power Carver		252 Pcs Electric Rotary Die Grinder Tool kit With Flexible Shaft Rotary Tool (3 mm). Tool/ item should be of reputed make and conforming to relevant standards & quality	Electric or pneumatic power carving tools can simplify and speed up carving and shaping processes.	3,000

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Hand Saw		Circular Saw		Electric Circular Saw for wood cutting (NDRF) with Tungsten Carbide Tipped Blade. Size of Blade: 12" Input Power Supply: 230 V 50Hz Single phase. <u>Min. Warranty – 1 Year</u> Tool/ item should be of reputed make and conforming to relevant standards & quality	Circular saw machine maintain the alignment and can work faster	3,000
Chisel		Professional wood carving chisel set		Blade Material: Carbon Steel Woodworking Wood Carving Hand Chisel Professional Tool Set Quantity: <u>A set of</u> Min 12 different pieces/ sizes per set Tool/ item should be of reputed make and conforming to relevant standards & quality	Different shapes pointed chisel for carving wood	1,500
Paint Brush		Painter Spray Gun		Tank Volume: 550 Millilitres Material : Mild steel Dimensions LxWxH: 20.7 x 12.2 x 12.2 Centimeters Tool/ item should be of reputed make and conforming to relevant standards & quality	Paint spray gun is used to spray paint evenly on the moorti and other sculptures.	1,200.
Total						17,700

BASKET MAKER/ BASKET WEAVER: MAT MAKER/ COIR WEAVER/ BROOM MAKER

SET A: Bamboo/Wood Twigs – Basket Maker

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Hand saw		Jet Saw		Professional Wood Cutter Saw, Gasoline powered heavy duty chain saw, Fuel 63CC 2.7KW/3.3HP Heavy Duty Chainsaw with 22inch Blade (ORANGE) CORDLESS Tool/ item should be of reputed make and conforming to relevant standards & quality	To cut larger stock faster.	8,000
Sand paper		Bamboo grinder		<u>Grinder wheel dia:</u> 99mm Width 290 x Height 50 x Length 110mm Weight <u>min.</u> (approx.): 1 kg 300 g Power source: AC Disc Diameter: 5" min Locking nut size: 0.5" RPM : Min 6000 Power :Min 750 Watt Tool/ item should be of reputed make and conforming to relevant standards & quality	Polishes fast and smoothly	5,500

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Traditional Hammer		Advanced Hammer combo		Steel Ball Peen Hammer with Handle & Brown and Black Hammer (500g) each Made up of high-grade carbon steel, striking surfaces should be hardened up to 46 - 58 HRC Tool/ item should be of reputed make and conforming to relevant standards & quality	Hammer Easy handling and grip.	1,000
Chisel		Professional wood carving chisel set		Blade Material: Carbon Steel Woodworking Wood Carving Hand Chisel Professional Tool Set Quantity: A set of Min 12 different pieces/sizes per-set Tool/ item should be of reputed make and conforming to relevant standards & quality	Used for sliving thinner bamboo stripes	1,000
Naga Dao		Bamboo Splitter		Min. No of Splits : 4 pieces at once Material : Iron Dimension: 90 mm inner dia., Outer dia. 110mm, length 290 mm Weight :900 gm	Splits bamboo into equal halves	2,500
Total						18,000


BASKET MAKER/ BASKET WEAVER: MAT MAKER/ COIR WEAVER/ BROOM MAKER

SET B: Broom Maker

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Manual by Hand		Brooms Assembling Machine		Bamboo broom assembler, 2 metres long. Used to tighten the broom feather and sticks into the casing. Type : Manual Material : Iron Dimension: 28"x12"x11" Weight : 10 kg Tool/ item should be of reputed make and conforming to relevant standards & quality	-Used to tighten the broom feather and sticks into the casing	5,000
Bodkin		Broom Splinter		Height – 16", Length – 25", Width – 15", Weight – 5kg Material : Iron Electric operated. Production Capacity : 70-80 brooms per hour Tool/ item should be of reputed make and conforming to relevant standards & quality	Broom splitting	9,500
Sealing by tape		Sealer for packaging		12" manual hand sealer (300mm), Power supply - 230V/50Hz, Raise beep sound on sealing time Tool/ item should be of reputed make and conforming to relevant standards & quality	For better packaging	1,500

Part 2: Accessories/Consumables/Safety Gears

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Indicative Pricing (in Rupees) excluding GST
Plastic Pipes		Plastic Pipes		Plastic pipe best quality Quantity: 50 plastic pipes Length: Min 18" Diameter: 2" Tool/ item should be of reputed make and conforming to relevant standards & quality	Thick plastic to hold the broom together	1,500
Total						17,500

BASKET MAKER/ BASKET WEAVER: MAT MAKER/ COIR WEAVER/ BROOM MAKER

SET C: Coir Weaver

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Hand Spinni ng		Machin e Spinnin g		<u>Motor</u> 12-40v DC Motor <u>Capacity</u> 15-18 Kgs Yarn per 8 hour <u>Body</u> ABS Material <u>Speed</u> 2500-3100 rpm Tool/ item should be of reputed make and conforming to standard quality	Used to spin fine yarn for making coir handicrafts and hand woven mats	7,000
Pliers		Professi onal Pliers		6 Pcs Mini Pliers Set, Including 11.5CM Combination Pliers, Diagonal Cutting pliers, Needle Nose Pliers, Long Nose Pliers, Flat Nose Pliers, End Cutting Pliers for crafts, model making, jewelry making and are used while stitching and for plucking out the needle from the coir toy. Tool/ item should be of reputed make and conforming to standard quality	Cutting and folding makes easier	1,000
Scissor s		Heavy Duty Scissors		10 inch Heavy Duty High Carbon Steel Professional Fabric Scissors with Industrial Strength for Leather Sewing Shears for Tailoring for Home Office Artists Dressmakers Tool/ item should be of reputed make and conforming to relevant standards & quality	Advanced scissor to cut the threads and extra fibre	500

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Coir Mat Frame		Coir Mat Frame		For 48" x 30" mats Mild Steel frame Tool/ item should be of reputed make and conforming to relevant standards & quality	Artisans will be able to make frame mats at home even without the use of electric power	3,000
Hand Measu ring		Measur ing Tape		Length: 5Mtr Width: 19mm Tool/ item should be of reputed make and conforming to relevant standards & quality	Easier measurement.	100
Needle and cotton thread s		Needle and cotton threads		6 Inch long aluminium needle set of 10, 60 metres, 20 grams cotton threads of different colours. Tool/ item should be of reputed make and conforming to relevant standards & quality	Needle and threads of are used for stitching the coir product fibres together.	800

Part 2: Accessories/Consumables/Safety Gears

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Pricing (in Rup ee s) (Should be indicati ve price without GST)
Manua l Coir Proces sing of coconu t husk		Mixed white coir fibre (Grade I) – 30 kg Bale		<u>Length – 5 to 25 cm</u> Moisture – Less than 15% Impurities – Less than 3% Quantity: <u>210 kg</u> Tool/ item should be of reputed make and conforming to relevant standards & quality	Ready to use Mixed White Coir Fiber	4,000

BASKET MAKER/ BASKET WEAVER: MAT MAKER/ COIR WEAVER/ BROOM MAKER

SET D: Mat Weaver, Mat Maker

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Naga Dao		Bamboo Splitter		<u>Min. no. of splits - 6</u> <u>99mm inner dia</u> <u>Width 290 x Height 50 x Length 110mm</u> <u>Weight min. (approx.): 1 kg 300 g</u> Tool/ item should be of reputed make and conforming to relevant standards & quality	-Splits the Bamboo into 5 6 pieces at a time	5,500
Hand Planer		Electric Planer		1mm Electric Planer 17000 RPM for Wood Planing & Rebating Applications, Copper Tool/ item should be of reputed make and conforming to relevant standards & quality	-Smoothens the bamboo slivers to bring out the fine quality product	3,000
Manual stitching using needles		Normal Sewing Machines		Single Needle Lockstitch Direct Drive Machine. 550 watts motor powers the machine enabling it to stitch at speeds as high as 5000 SPM (stitches per minute), IS 1610:2000 Tool/ item should be of reputed make and conforming to relevant standards & quality	-Specialized sewing machines can replicate the stitching process used in traditional stitched mats.	4,000

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Knife/Cutters		Heavy duty Cutters		Item Weight-540 g Item Width -16 Millimeters Item length -5.2 Centimeters To trim/cut the excess bamboo/ other material/ slivers to make them uniform in length. Tool/ item should be of reputed make and conforming to relevant standards & quality	-Heavy duty Cutters are used to trim/cut the excess bamboo/ other material/ slivers to make them uniform in length.	500

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Permanent Fabric Dyes		Permanent Fabric Dyes		Dyes used to colour bamboo fibre/ mats. Quantity in litre: 750ml / bottle. Colours: 6 different colours Tool/ item should be of reputed make and conforming to standard quality	Different Colour Dyes are used to make the bamboo mats more attractive in look.	4,000
Total						17,000

MALAKAR: SET A

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Needle s		Advanc ed Needle s		6 Inch long aluminium needle set of 10. Needle Extra Fine Thin Beading Needles Big Eye Beading Needles, Long Straight Needles Bead Needles Hand Sewing Needles with Threader, Thimble for Mala Making. Tool/ item should be of reputed make and conforming to relevant standards & quality	Facilitates threading beads onto the string, making the process efficient and precise, even with smaller beads.	1,000
Blades		Scissors each one		1 set (3 units) - Size 8", 6", 4" Material : Stainless steel with plastic/ rubber coated handle grip. Tool/ item should be of reputed make and conforming to relevant standards & quality	Easily cuts the threads safely	500
Sprink el by Hand		Water spray bottle		Capacity: 1000 ml Material: Plastic	Easy spray of water instead of using hand to sprinkle water on flowers	200

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Bead reamer		Bead reamer		Overall Length: 5-3/4". Working Length: 5/8" Diameter: 0.5 to 0.7mm Nickel Titanium Reamer "S" Shaped Cross Section Double Helix design Wood Handle Set of 5 nos. Tool/ item should be of reputed make and conforming to relevant standards & quality	Ensures smooth holes in beads for easy threading, preventing thread breakage and allowing seamless stringing.	1,000
Water Bucket		Water Bucket		Material - Plastic Item made of virgin material Weight- 400 Grams. Product Dimensions- 32L x 18.5W x 28.5H cm. Capacity - 13 litres. Handle Material- Polypropylene Tool/ item should be of reputed make and conforming to relevant standards & quality	Used to store water for multiple purpose such as refilling spray bottle, keeping flowers fresh.	200

Part 2: Accessories/Consumables/Safety Gears

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Plastic beads		Jewel beads (cerami c, glass, pearl, metal, bone, stone, horn, etc.)		<u>Glass Beads (4 Kg)- 2000 nos.</u> <u>±</u> <u>Brass Beads (2 Kg)- 3000 nos.</u> <u>±</u> <u>Stone Beads (60 Pieces)-1200 nos.</u> <u>±</u> <u>Wooden Beads (2 Kg)- 1000 nos.</u> <u>[weight or count whichever is higher]</u> Tool/ item should be of reputed make and conforming to relevant standards & quality	Diverse materials offer unique designs, textures, and colors. They add elegance and variety to create eye-catching jewelry.	7200

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
-NA-	-NA-	Ice Box / Chiller		Insulation Material: Plastic Tough construction for long term use High insulation to keep ice cool for longer Durable and break resistant 50 Litres capacity	For storing cool water for fresh flowers	2000
Basic Thread s		Thick and colourf ul Thread s		Different types and colours of threads are used in making malas. (3 sets of all each type: white, grey, yellow, brown, pink, violet, light blue, and dark blue.) Length: Min 700m in each roll/reel Thread material: Polyester Tool/ item should be of reputed make and conforming to standard quality	Gives rich looks to the mala making	3,000
Papers		Colour Papers (100 gsm)		200 pc set, 30*15 cm, and 100 GSM thickness (different colours of papers) Tool/ item should be of reputed make and conforming to relevant standards & quality	Use to decorate the bouquet	1,000
Colour ribbon s		Colour ribbons		12 sets of colour ribbons . Width: 1/2inch, Length: 10m)(Violet, Light Blue, Pink, Green, Red, Orange, Yellow, White, Black, Grey, Brown, Dark Blue) 2 sets will be given Material: Synthetic Tool/ item should be of reputed make and conforming to relevant standards & quality	Use to decorate the bouquet	2,000

Existin g Name	Image	Propos ed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative
						<u>price</u> <u>without</u> <u>GST</u>
Sponge		Sponge		Quantity: 20 pcs Material: Synthetic Min size: 6"D x 6"W x 2"H	Use to fix the flowers	300
Total						18,400

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

MALAKAR: SET B

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section B: Details of Existing & Proposed Tool Kit Item

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Needles		Advanced Needles		6 Inch long aluminium needle set of 10. Needle Extra Fine Thin Beading Needles Big Eye Beading Needles, Long Straight Needles Bead Needles Hand Sewing Needles with Threader, Thimble for Mala Making. Tool/ item should be of reputed make and conforming to standard quality	Facilitates threading beads onto the string, making the process efficient and precise, even with smaller beads.	1,000
Blades		Scissors each one		(1 set (3 units) - Size 8", 6", 4") Tool/ item should be of reputed make and conforming to standard quality	Easily cuts the threads safely	500
Plastic beads		Jewel beads (ceramic, glass, pearl, metal, bone, stone, horn, etc.)		Glass Beads (1 Kg)- 600 Brass Beads (1 Kg)- 1500 Stone Beads (10 Pieces)-200 Wooden Beads (1 Kg)- 500 Tool/ item should be of reputed make and conforming to standard quality	Diverse materials offer unique designs, textures, and colors. They add elegance and variety to create eye-catching jewelry.	2800

Colour Papers		Colour Papers		200 pc set for Rs 1000, 30*15 cm, and and 100 GSM thickness (different colours of papers) Tool/ item should be of reputed make and conforming to standard quality	Use to decorate the bouquet	1,000
Colour ribbons		Colour ribbons		12 sets of colour ribbons . Width: 1/2inch, Length: 10m)(Violet, Light Blue, Pink, Green, Red, Orange, Yellow,White, Black, Grey, Brown, Dark Blue) 2 sets will be given Tool/ item should be of reputed make and conforming to standard quality	Use to decorate the bouquet	2,000
Sponge		Sponge		20 pcs	Use to fix the flowers	300
Basket	Earlier used to wrap up the flowers from the base using polythene and threads	Bamboo basket		Oval Shape Deep Handle Cane Bamboo Multipurpose Handmade Eco Friendly Basket Brown Natural Colour Size 15 * 10 * 15 inches—5 pieces	Use to place the flowers and make a creative bouquet	3500/-

Earlier used jute or plastic bags	Earlier used jute or plastic bags	Aristo Insulated Chiller Ice Box		Capacity 100 Ltr Available local vendors and online	Use to keep flower fresh for a longer period of time	5500/-
						16,600/-

TAILOR (DARZI): SET A

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed ToolKit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Domestic Sewing Machine		Straight Stitch Domestic Motorized Sewing Machine (foot operated with motor)		This sewing machine top shall conform to IS 1610: 2000 and to IS 14769: 2000 for Household straight stitch sewing machine and Head respectively. The weight of machined Arm and Bed (Bolted Body) shall be 7.00 kg. $\pm$ 250 gms Max Stitches per minute – 800 nos. Max Stitches length - At least 3.2 mm. (F) and 2.5 mm. (R) Paint finish shall be baked stoving enamel with good gloss and devoid of dust entrapments, flow marks, smudges, dent marks, orange peel defects etc Motor 1/20 Domestic Speed @ Full load 6500 to 7000 Revolutions per minute (RPM) Motor - Cooper winding		10040

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
				Motor - Output Horsepower - 50 Watts / 1/20 Horse power (HP) Number of phase - Single Standard Table shape Rectangular with rounded corner. The Length X Breadth of the laminated Table is 16" x 32" respectively with a tolerance of minus ¼" on each side. Standard Table Overall thickness should not be less than 19 mm. Good quality, 19 mm flat batton board /Ply Board without any warpage or waviness and having smooth surface Standard Table - The laminate shall be a glossy / decorative in teak wood grain texture of mica having 0.5 mm thickness. Pipe Stand weight - 9.50 Kg. ± 0.250 gms. Minimum height of Side		

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
				Leg (including Resting Pad) shall be 720 mm. Material—Mild Steel Sheet, Mild Steel Square Pipe and Mild Steel Square Rod Sheet shall be free from detrimental defects such as Dent, Cracks, Pins, Burrs, etc.		
Bobbin & Bobbin Case		Bobbin & Bobbin Case		1 High quality bobbin case, 5 high quality aluminium bobbins, 1 pair of right & left single/zipper foot, 1 gathering foot, 1 box [10nos] sewing machine needle of size 14 and 1box [10nos] sewing machine needle of size 16. Tool/ item should be of reputed make and conforming to standard quality	The bobbin holds the lower thread of the machine. Each stitch is made by catching the bottom thread from the bobbin with the top thread that comes through the needle	500
Tailoring Scissors		Tailoring Scissors		Plastic handled stainless steel scissor for cutting paper. Tool/ item should be of reputed make	Tailor's scissors are usually shorter. They are a great choice for sewing and crafting as they can cut multiple	700

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
				and conforming to standard quality	layers of fabric with ease. The thicker blades of tailor's scissors have the edges that can cut all the way to the tip	
Seam Ripper		Seam Ripper		Handy seam ripper with plastic cover, used for opening stitches for sewing and craft works, Length : Large Size(LxW):30 x 5 mm, Small Size(LxW): 60 x 5 mm, Handle Length (in mm) : 35, 98 Tool/ item should be of reputed make and conforming to standard quality	A seam ripper is a small sewing tool used for cutting and removing the wrong stitches	100
Tracing Wheel		Tracing Wheel		Tracing wheel with minimum length:- 15.2cm, and wheel gear diameter:- 2.2cm. Tool/ item should be of reputed make and conforming to standard quality	Tracing wheel is pointed and very sharp, transfers marking onto a clean sheet of paper. Tool is often used when retracing patterns or when transfer draped muslin onto paper.	250

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Tailor's Chalk		Tailor's Chalk		Extra smooth tailoring, sewing markers with fashion designing triangle scales, set of 15 dust free tailoring chalks	Tailors chalks are used for temporary guide markings on fabric to indicate where it needs to be cut or left out, shortened or lengthened, or where a pleat needs to be made	150
Safety Pins		Safety Pins		Steel safety pins of medium (3.5cm) and large sizes (5.5cm)	Safety pins are mostly used to fasten pieces of fabric or clothing together	200
L Scale		L Scale		PVC Tool/ item should be of reputed make and conforming to standard quality	Drafting equipment is used for making paper patterns. This is the second stage of pattern making. Using the measurements taken, the drafting is carried out according to the design of a garment	500
Hip Curve		Hip Curve		PVC Tool/ item should be of reputed make and conforming to standard quality	As the name suggests, this ruler is ideal for drawing smooth curves around the hips & waistline. It helps in creating flattering silhouettes & accurate darts.	450

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
French Curve		French Curve		PVC Set of 3 Tool/ item should be of reputed make and conforming to standard quality	French curve is made of transparent plastic. It helps in marking shapes of the neck, depth of sides and garments bottom. Essential tool for perfect shaping armholes, necklines, and collars.	550
Measuring Tapa		Measuring Tape		PVC measuring tape of 7.5 m and 0.5" width	Measuring tape mostly use for the Measurements of garments can also contribute to minimize production time and reduce production cost	200
Thread Cutter		Thread Cutter		Metallic	Usage of thread cutter to remove the extra thread from the garment	200

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Threads		Threads		180 mts polyester thread used in hand & machine work (set of 100)	Threads can be made from fiber type such as cotton, linen, silk, rayon, nylon, polyester it is used to form the stitches that hold the fabric parts together. They can be described by fiber type, constriction and size	700
Stationary		Stationary		Pencil (HB)	Pencil is used to marking on brown paper & fabric also	150
Toolkit Bag		Toolkit Bag		Bag with zip	Good quality Bag with good quality zip to store all above equipment	
Total						14,690

TAILOR (DARZI): SET B (Boutique)

PI Note: In case of multiple choices of toolkits offered for a trade, the prices of all optional toolkits will roughly be the same.

Section A: Details of Existing & Proposed ToolKit Item

Part 1: Equipment

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
		Light duty straight stitch foot operated sewing machine with RSM Pipe Stand / Table and 1/12 H.P. motor for Domestic Industrial use Preferred by Boutiques		Light Duty Sewing Machine for Domestic Industrial use. ISI Marked Size of Bed - 399mm x 178mm. Fly Wheel - Spoke type, light weight as per approved sample, matching with body Colour. It must be free from wobbling. Knee Lifter Needle Plate and Slide Plate - Sliding type - Matt Finish Take up lever - Link motion Needle system - 16/100, DB X 1 – Round shank. Shuttle system - Full Rotary Shuttle Hook. Minimum gap below presser	Easy to operate large fabrics. Machine runs smoothly. Easy to operate. Long Life Low Noise High Speed / High Production Long Life Long Life Easy to operate. Easy to operate. Easy to operate large fabrics. Long Life	13500

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
				foot - 6 mm minimum. Max. stitch per minute - 1800 nos. Max. stitch length - 4.2 mm. Type of stitch - Two thread lock stitch. Stand Material – Mild Steel Sheet, Mild Steel Square Pipe and Mild Steel Square Rod. The Powder coating shall be smooth, uniform, with high gloss and hardness and free from run, dust, mars, peeling, dents, scratches, overflow etc. Minimum height of Side Leg (including Resting Pad) shall be 720 mm. Minimum diameter of Wheel (bottom of Belt groove) shall be 440 mm. Minimum width of Center Brace		

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
				shall be 625 mm Minimum size of Treadle shall be 330 x 250 mm. Pitman rod with double ball bearing, Wheel Stud – Golden plated and other hardware items like; Nuts, Bolts and Washer's must be free from rust. Net weight: 10.500 Kg. $\pm$ 250 gms. Table shape : Rectangular with rounded corner. The Length X Breadth of the laminated Table is (36 + 9)" x 18" respectively with a tolerance of minus ¼" on each side. Overall thickness should be 25 mm + - 1.5 mm. Drawer with Runner Oil tray Motor Output Horse Power : 62 Watts / 1/12		

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
				Horse power (HP) Type of Motor : Alternating current (AC)/Direct Current (DC) Universal Stator Coil material: Copper Copper Coil Weight : Total weight 100 grams Speed @ Full load : 6500 Revolutions per minute (RPM)		
Bobbin & Bobbin Case		Bobbin & Bobbin Case		1 High quality bobbin case, 5 high quality aluminium bobbins, 1 pair of right & left single/zipper foot, 1 gathering foot, 1 box [10nos] sewing machine needle of size 14 and 1box [10nos] sewing machine needle of size 16. Tool/ item should be of reputed make and conforming to standard quality	The bobbin holds the lower thread of the machine. Each stitch is made by catching the bottom thread from the bobbin with the top thread that comes through the needle	500
Tailoring Scissors		Tailoring Scissors		Plastic handled stainless steel scissor for cutting paper.	Tailor's scissors are usually shorter. They are a great choice	700

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
				Tool/ item should be of reputed make and conforming to standard quality	for sewing and crafting as they can cut multiple layers of fabric with ease. The thicker blades of tailor's scissors have the edges that can cut all the way to the tip	
Seam Ripper		Seam Ripper		Handy seam ripper with plastic cover, used for opening stitches for sewing and craft works, Length : Large Size(LxW):30 x 5 mm, Small Size(LxW): 60 x 5 mm, Handle Length (in mm) : 35, 98 Tool/ item should be of reputed make and conforming to standard quality	A seam ripper is a small sewing tool used for cutting and removing the wrong stitches	100
Tracing Wheel		Tracing Wheel		Tracing wheel with minimum length:- 15.2cm, and wheel gear diameter:- 2.2cm. Tool/ item should be of reputed make and conforming to standard quality	Tracing wheel is pointed and very sharp, transfers marking onto a clean sheet of paper. Tool is often used when retracing patterns or when transfer draped muslin onto paper.	250

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Tailor's Chalk		Tailor's Chalk		Extra smooth tailoring, sewing markers with fashion designing triangle scales, set of 15 dust free tailoring chalks	Tailors chalks are used for temporary guide markings on fabric to indicate where it needs to be cut or left out, shortened or lengthened, or where a pleat needs to be made	150
Safety Pins		Safety Pins		Steel safety pins of medium (3.5cm) and large sizes (5.5cm)	Safety pins are mostly used to fasten pieces of fabric or clothing together	200
L Scale		L Scale		PVC tool/ item should be of reputed make and conforming to standard quality	Drafting equipment is used for making paper patterns. This is the second stage of pattern making. Using the measurements taken, the drafting is carried out according to the design of a garment	500
Hip Curve		Hip Curve		PVC Tool/ item should be of reputed make and conforming to standard quality	As the name suggests, this ruler is ideal for drawing smooth curves around the hips & waistline. It helps in creating flattering silhouettes & accurate darts.	450

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
French Curve		French Curve		PVC Set of 3 Tool/ item should be of reputed make and conforming to standard quality	French curve is made of transparent plastic. It helps in marking shapes of the neck, depth of sides and garments bottom. Essential tool for perfect shaping armholes, necklines, and collars.	550
Measuring Tapa		Measuring Tape		PVC measuring tape of 7.5 m and 0.5" width	Measuring tape mostly use for the Measurements of garments can also contribute to minimize production time and reduce production cost	200
Thread Cutter		Thread Cutter		Metallic	Usage of thread cutter to remove the extra thread from the garment	200

Part 2: Accessories/Consumables/Safety Gears

Existing Name	Image	Proposed Name	Image	Specifications	Usage/Benefits	Pricing (in Rupees) (Should be indicative price without GST)
Threads		Threads		180 mts polyester thread used in hand & machine work (set of 100)	Threads can be made from fiber type such as cotton, linen, silk, rayon, nylon, polyester it is used to form the stitches that hold the fabric parts together. They can be described by fiber type, constriction and size	700
Stationary		Stationary		Pencil (HB)	Pencil is used to marking on brown paper & fabric also	150
Toolkit Bag		Toolkit Bag		Bag with zip	Good quality Bag with good quality zip to store all above equipment	
Total						18,150